A NOMENCLATURE

OF

BRITISH ENTOMOLOGY,

BY

GEORGE SAMOUELLE.

Price 4s. 6d. boards.

Library of the Museum

OF

COMPARATIVE ZOÖLOGY,

AT HARVARD COLLEGE, CAMBRIDGE, MASS.

Founded by private subscription, in 1861.

A. Agassiz

No. 5742

May 1, 1873.

A

NOMENCLATURE

OF

BRITISH ENTOMOLOGY,

OR

A CATALOGUE

OF

ABOVE 4,000 SPECIES OF THE CLASSES CRUSTACEA, MYRIAPODA, SPIDERS, MITES AND INSECTS,

ALPHABETICALLY ARRANGED, AND INTENDED AS

LABELS FOR CABINETS OF

BRITISH INSECTS, &c.

FROM

THE ENTOMOLOGIST'S

Useful Compendium,

BY GEORGE SAMOUELLE,

ASSOCIATE OF THE LINNEAN SOCIETY OF LONDON.

LONDON:

PRINTED FOR THOMAS BOYS, NO. 7, LUDGATE HILL.
(FROM NO. 3, PATERNOSTER ROW.)

1819.

S

ADVERTISEMENT.

THE great inconvenience which Entomologists lie under for the want of *labels* for their cabinets, and the length of time occupied in writing them, has induced me to print a few copies of the Index to the *Compendium* separately and on one side only. This catalogue, although far from being a complete one, is certainly the most extensive that has hitherto appeared; and the difficulty of obtaining the names of the other species is rendered less, as most of those which are synonymous in one genus may be applicable to another; so that in fact 5,000 specific names at least may be obtained from this little work.

It may also be used for another purpose, namely, for *lists of desiderata*, as the Entomologist can by a cross or other mark notice such species as he possesses. I should recommend a line drawn from left to right for the male sex, thus \ ; and a line from right to left / for females; by which means he can tell not only what species are desiderata to him, but likewise the sex.

The method of cutting the name out as a label for the cabinet, is to place a card under the page containing the name; the name may then be cut out with a sharp pointed pen-knife without injuring the page beneath.

INDEX.

New Genera and those adopted are in capitals: the Species marked with an Asterisk are either synonymous or referable to other Genera: the English names are in italics: l. affixed to the Species refers to the larvæ.

ABAX
angustior 361
melanarius ib.
Striola 154, 361
Abdomen and its parts 32
——, discrimination of the 338
ABIA
nigricornis 263, 411
sericea ib.
ABRAXAS
grossulariata 253
ulmaria ib.
ABRÆUS
perpusillus 183, 362
ABROSTOLA, *Och.* 252
ACANTHIA
*lectularia 223
maculata 225, 369
Acanthidæ (Fam.) 224
Acari, anatomical view of the 75
——, character and classification of the 130
—— for the microscope 130, 333
Acaridæ (Fam.) 131
ACARUS
*aquaticus 133
*Coleoptratorum 131
domesticus 132, 358
*exulcerans 133
*geniculatus 132
*Scabiei 133
ACARUS
*siro 132
*Ricinus 132
ACILIUS
sulcatus 159, 359
ACHETA
campestris 218, 380
domestica 218, 359
*Gryllotalpa 217
Achatia, *Hub.* 251
ACHENIUM, *Leach* 172
ACHERONTIA, *Och.* 243
Achetidæ (Fam.) 217
Acridii, *Latr.* 218
ACROCERA
gibbosa 387
Acroceridæ (Fam.) 296
ACRYDIUM
bipunctatum 416
sabulatum 219, 416
Aculeata, (*sect.*) 272
Aculeus, the *sting* discrimination of 338
——, its situation & use 33
ADELA
Degeerella 249, 399
ADIMONIA
Alni 378
nigricornis 212, 378
Admiral, red 238, 363, 430
—— —— l. 416
——, *white* 240, 417
Admiral, white, l. 396
ÆCOPHORA
Flavella 249, 399
Linneella 249
Rœsella ib.
ÆGA
emarginata 109
ÆGERIA
apiformis 245, 381, 397
asiliformis 397
crabroniformis 245, 417
——— l. 442
culiciformis 417
cynipiformis 397
formiciformis 418
œstriformis 397
spheciformis ib.
tipuliformis ib.
vespiformis ib.
ÆGIALIA
globosa 190, 362
ÆLIA
acuminata 221, 438
melanocephala 438
ÆPUS
fulvescens 149, 415
ÆSHNA
Anglicana 410
grandis 258, 410
juncæa 410
teretiuscula ib.
viatica ib.
Afzelius's Tortrix 364
AGATHIDIUM
nanum 393

AGATHIDIUM
nigripenne 214, 393
rufipenne 393
AGELENA
labyrinthica 125, 428
aglossa, *Latr.* 255
AGONUM
albipes 365
cærulescens ib.
picipes ib.
rufipes ib.
sexpunctatum 150, 373
Simpsoni 365
sordidum ib.
vaporariorum 358, 373
AGRION
albicans 410
annulare ib.
corea ib.
puella ib.
rufescens ib.
sanguineus 259, 410
zonatus 410
AGROTIS, *Hub.* 251
Alæ, (*wings*) afford characters for genera & species 36
——, (the *wings*) discrimination of 338
——, their form and structure 35
Alburnea dentata 83
Alder moth 400
ALEOCHARA
canaliculata 176, 367
cinnamomea 438
fuscipes 177, 367, 429
impressa 177, 442
lanuginosa 367, 429
obscura 362
rivularis 177, 429
sulcata 177, 367
ALEYRODES
chelidonii 233, 380
ALLANTUS
albocinctus 411
ater ib.
bicinctus ib.
blandus ib.
conspicuus ib.
12-punctatus ib.
hæmatopus ib.
latcralis ib.
lividus ib.
ALLANTUS
neglectus 411
notha 265, 411
punctomaculatus 412
punctum 411
rufiventris ib.
semicincta 265
viridis 386
zonata 265, 411
ALOMYA, *Panz.* 269
Alstrœmer's Tortrix 372
ALTICA
oleracea 212
testacea ib.
Alucita, *Oliv.* 249
ALUCITA
hexadactyla 256, 372
Alucitadæ (Fam.) 255
AMALOPLIA 191
AMARA
ærata 438
vulgaris 152, 365
AMASIS
læta 263, 411
Amblychus, *Gyll.* 147
Ametabolia, character of the subclass 138
——, classification of the 140
AMOPHILA
sabulosa 275, 413
AMPHIPYRA, *Och.* 251
AMPITHOE
rubricata 104
ANARTA, *Och.* 252
ANASPIS
bifasciatus 376
biguttatus ib.
frontalis 197, 376
obscurus 376
ruficollis ib.
ANAX
Imperator 258, 410
ANCHOMENUS
prasinus 151, 361
Andrena, *Rossi* 277
ANDRENA
affinis 413
Affzeliella 386
albicans ib.
albicrus 413
armata 372
atriceps ib.
barbilabris 386
ANDRENA
chrysocelis 372
chrysura 413
cingulata 437
Clarkella 372
Collinsonana 413
fulva 372
fulvago 413
fulvicrus 427
fuscata 386
Gwynana 372
bæmorrhoidalis 413
helvola 386
Lewinella 372
Listerella 427
minutula 442
Mouffetella 427
nigriceps 372
nigro-ænea 281, 372
nitida 372
ovatula 386
parvula 372
pilipes 413
pratensis 372
Rosæ ib.
Schrankella 437
Shawella 442
Smithella 372
spinigera ib.
thoracica ib.
tibialis 427
*tricincta 282
tridentata 437
Trimmerana ib.
varians 372
Andrenetæ, *Latr.* 280
Andrenidæ, (Fam.) ib.
Andria, *Hub.* 248
Angle, tawny barred 434
Angle shades, 250, 383, 402, 440
——, *small* 401
Animalcula for the microscope, how obtained 334
Animals, Cuvier's distribution of 75
——, dead, the habitation of many insects 314
——, distribution of, from their organization 74
——, how distinguish'd 20

Animosity of queen bees cease on the loss of the antennæ 24
Anisotoma bicolor 214
nigripennis 215
picea 194
piceum ib.
Annulata, distribution of the 75
———, anatomical character of the ib.
Annulet, brown 434
ANOBIUM
Abietis 367
*bidentatum 206
*Boleti ib.
castaneum 389
molle ib.
panicum ib.
*pertinax 181
ptinoides 389
rufipes ib.
striatum 181, 375
tessellatum 181, 443
ANOMALA
Agricola 389
Donovani ib.
Frischii 191, 389
horticola 389
ruricola 191, 389
Anoplura, character of the Order 138
———, classification of 141
Ant 69, 273
Antennæ of insects 21
———, discrimination of the 340
———, experiments on the, by Bonnet 22
———, experiments on the, by Bonsdorf ib.
———, experiments on the, by Hubner 23
———, experiments on the, by Lehmann ib.
——— of the long-horned bee composed of hexagons 24
———, on their use 22
Antennæ, the, used by the Ichneumon Manifestator for discovering a nidus to deposit its eggs in 24, 25
———, the organs of smelling supposed to be situated in them 25
ANTHICUS
antherinus 390
florialis 376
fuscus 197, 376
*Hellwigii 180
*monoceros 196
ANTHIDIUM
manicum 284, 428
ANTHOBIUM, *Leach* 175
ANTHOMYIA
pluvialis 300, 415
Anthophora, *Illig.* 283
ANTHOPHORA
*hirsuta 287
*quadridentata 285
retusa 287, 364
*truncorum 284
ANTHOSOMA
Smithii 80
Anthracii, *Latr.* 295
Anthracidæ (Fam.) ib.
ANTHRAX
Abaddon 414
Hottentotta 295, 414
ANTHRENUS
Muscorum 367
Scrophulariæ 50, 182, 375
Verbasci 375
ANTHRIBUS
*latirostris 199
*rhinomacer 200
scabrosus 200, 376
varius 376
ANTHURA
gracilis 107
Anthuradæ, (Fam.) ib.
Antler moth 421
Antliata, *Fabr.* 289
APAMEA, *Och.* 251
APATURA
Iris 239, 417
—— *l.* 381
Apidæ, (Fam.) 228
APION
æneum 377
assimile 390
Astragali ib.
Carduorum ib.
cærulescens 376
Craccæ 416
Ervi 415
Fagi 376
flavifemoratum ib.
flavipes ib.
frumentarium 377
Gyllenhalii 376
hæmatoides 377
Hydrolapathi 390
immune 369
Lathyri 415
lævigatum 376
Loti 390
Malvarum 376
Malvæ ib.
marchicum ib.
melanopum ib.
Meliloti ib.
nigritarse ib.
Ononis 415
Oxurum 376
ruficorne 390
Rumicis ib.
Sorbi 376
Spartii ib.
subulatum 415
subsulcatum 376
sulcifrons ib.
Ulicis 359
vernale 376
viciæ 415
vicinum 390
violaceum ib.
virens 376
vorax ib.
Apis, *Harr.* 273
—— * a. *Kirby* 283
* a. *Kirby* 286
* b. *Kirby* ib.
** b. *Kirby* ib.
** c. 1. α. 285
** c. 1. β. 284
** c. 2. α. 285
** c. 2. β. 284
** c. 2. δ. ib.
** c. 2. γ. 283-4

Apis ** d. 1. 287
** d. 2. *a.* 283
** e. 2. 287
Apis, *Linné* 69, 280
APIS
*Banksiana 283
*bicornis 285
*cærulea 283
*centuncularis 285
*conica ib.
*cyanea 283
*florisomnis 284
*longicornis 287
*manicata 284
mellifica 288, 359
*punctata 286
*4-cincta 282
*quadripunctata 285
*retusa 287
*ruficornis 286
*terrestris 288
*variegata 286
Apius, *Jurine* 277
APHANISTICUS
emarginatus 160, 388
Aphidii, *Latr.* 232
Aphidæ, (Fam.) ib.
Aphis, *Linné* 62
——, Natural History of the ib.
APHIS
Absinthii 394
Aceris platanoides 395
Acctosæ 394
Alni ib.
Atriplicis 395
Avenæ sativæ 394
Betulæ ib.
Brassicæ ib.
Bursaria 395
Capreæ 394
Craceæ ib.
Dauci ib.
Fabæ 395
Fagi 394
Fraxini ib.
Jaceæ ib.
Juniperi ib.
Lactucæ ib.
*lanigera 232
Leucanthemi 395
Ligustici scotici ib.
Lychnidis ib.
APHIS
Millefolii 395
Padi 394
Pini 395
Plantaginis ib.
Populi ib.
Pruni 394
Pruni-cerasi ib.
Quercus 395
Ribis 394
Rosæ ib.
Rumicis Lapathi ib
Salicis 395
Sambuci 394
Scabiosæ 395
Sonchi 394
Tanaceti ib.
Tiliæ ib.
Tremulæ 395
Ulmi 394
urticata 380
Viburni 395
Aphodiadæ, (Fam.) 189
APHODIUS
attaminatus 368
conflagratus ib.
coprinus ib.
depressus ib.
erraticus ib.
fimetarius ib.
fœdatus ib.
fœtens ib.
Fossor ib.
*globosus 190
granarius 368
hæmorrhoidalis ib.
humeralis ib.
ictericus ib.
inquinatus ib.
luridus ib.
merdarius ib.
obscurus ib.
pusillus ib.
rufipes 180, 368
scutator 368
sordidus ib.
subterraneus ib.
*sulcicollis 190
Sus 368
terrestris ib.
testudinarius ib.
turpis ib.
unicolor ib.
APHRITIS
auro-pubescens 298, 415
Apoda Testudo 418
——— *l.* 432
APODERUS
Coryli 201, 376
APORUS
unicolor 275
Apos, *Scopoli* 78
Apparatus used by Entomologists 307
April, calendar for 364
——, employment for 315
APSEUDES
Talpa 109
Apseudiadæ, (Fam.) ib.
Aptera, *Linné* 72
Aptera, characters of the Order 139, 236
APUS
Montagui 78
*productus ib.
Aquarius paludum 224
Aquatic insects, how obtained 313
Aquatica, (Sect.) 225
Arachnides, *Lam. Latr.* 117
Arachnoïdea, anatom. view of the 75
Arachnoïda, classification of the 117
——— for the microscope 118, 333
Araignée à croix 127
——— fourmi 130
ARANEA
*aquatica 125
*Diadema 127
domestica 124, 360
*erythrina 122
*extensa 127
*Listeri 129
*obscura ib.
*opilionides 126
*phalangioides ib.
*Pluchii ib.
*saccata 129
*scenica 130
*senoculata 122
Araneadæ, (Fam.) 120
———, observations on the, by Sir J. Banks 120

Arches moth, barred 400
———,*black* 246,397,431
———, — l. 397
———, *least black* 386
———, *buff* 251, 433
———, *dark* 400
———, *gray* ib.
———, *light* 419
———, *red* 248,399,418
———, *silvery* 419
ARCOPAGUS
bulbifer 178, 375
clavicornis 375
glabricollis 178, 359
ARCTIA
Caja 248, 418
—— *l.* 398
Chrysorrhœa 248, 398, 418
lubricipeda 248, 398
—— *l.* 431
Mendica 248, 382
Menthrastri ib.
papyritia 248, 398
—— *l.* 431
phæorrhœa248,398,431
plantaginis 248, 398
—— *l.* 382
russula 248, 398
salicis 248, 398, 418
V. nigra 431
villica 248, 398
—— *l.* 382
Arctiadæ, (Fam.) 248
Argent and Sable moth 404
Argus butterfly, Scotch 240
396
—— *wood* 541
ARGYNNIS
Adippe 237, 416
—— *l.* 380
Aglaia 237, 416
—— *l.* 380
Lathonia 237, 380, 416
Paphia 237, 416
—— *l.* 380
ARGYRONETA
aquatica 125, 360
ARMADILLO
vulgaris 112, 358
Arpactus, *Jurine* 276
Arrach moth, 251, 401, 439
Artus, *the members* 33
Aselle d'eau douce 110
ordinaire ib.
Asellidæ (Fam.) ib.
Asellus, *Oliv.* 106
ASELLUS
aquaticus 110
*vulgaris ib.
Asilici, *Latr.* 294
Asilidæ, (Fam.) 294
ASILUS
crabroniformis 72, 294, 414
ASIRACA
clavicornis 230, 380
Astacidæ, (Fam.) 94
ASTACUS
*astacus 95
*atomos 106
*Bamffius 93
Gammarus 95
*grossipes 105
*homarus 92
*Locusta 102
*marinus 95
*Norwegicus 96
*serratus
*strigosus 93
ASTATA 276
Astatus, *Klug.* 267
Astomata, *Dumeril* 301
ATELECYCLUS
heterodon 83
ATHALIA
annulata 264, 411
centifolia 411
Rosæ 264, 411
spinarum ib.
ATHANAS
nitescens 99
ATHERIX
maculata 294, 414
Atopa cervina 162
ATROPOS
lignaria 261, 427
ATTAGENUS
Pellio 182, 375
serra 389
Atte pare 130
ATTELABUS
*Corvli 54, 201
curculionides 201, 376
*formicarius 165
*melanurus 156
*mollis 166
ATTUS
formicarius 130
ATYPUS
*Sulzer 122
Sulzeri 122, 387
Auchenia hirta 196
merdigera 211
August, Calendar for 428
——,employment for 315
AUTALIA, *Leach* 177
AXIUS
Stirynchus 95
Bacca, *Fabr.* 299
BADISTER
bipustulatus 147, 364
BAETIS
bioculata 259, 410
BAGOUS, *Germ.* 204
BALANINUS
atramentarius 391
Cerasorum ib.
fasciatus ib.
fructuum ib.
Gladius ib.
longimanus ib.
maculatus 377, 391
murinus 391
Nucum 203, 377
Pomorum 391
rubellus ib.
semicylindricus ib.
stygius ib.
tenuirostris ib.
Tortrix 377
Tremulæ ib.
Banchus, *Fabr.* 269
Banks, Sir Jos. observations on the Araneadæ 120
Barred red 404
——— *straw moth* 422
——— *yellow moth* ib.
Baumannian Tortrix 385
Beak or rostrum 29
Beauty, bordered 423
———, *brindled* 253, 371
———, *Brixton* 439
———, *Camberwell* 238
———, *Lilac* 424
———, *marbled* 251, 432
———, *minor* 420
———, *mottled* 403

Beauty, light mottled 423
———, *oak* 253, 363, 403
———, *pale oak* 403
———, *tawny* ib.
———, *willow* 422
Bed bug 62
Bee (Apis) 69
——, *humming bird*
——, *broad bordered* 244, 397
——, *narrow bordered* ib.
Belle moth 404
——, *lesser* 407
——, *straw* 433
——, *yellow* 424
Bembidion, *Latr.* 148
BEMBIDIUM
acutum 364
agile 358
bipunctatum 387
crucigerum 361
Ephippium ib.
flavipes 148, 361, 373, 428
Guttula 361
littorale 365
pallipes 373
pœcillum 443
properans ib.
punctícolle 361
4-guttatum 364
rufipes 361
Spencii 442
Bergmannian Tortrix 436
BERIS
clavipes 372
nigritarsis 291, 372
BEROSUS
luridus 186, 362
BERYTUS
tipularius 222, 394, 438
Bethyllus, *Panz.* 274
Betony moth, water 252, 370, 399
Birch, gray 384
Birds, feathers of, for the microscope 333
Bird's-wing moth 252, 399
BISTON
Betularia 253, 403
hirtaria 253, 371
hispidaria 360
pedaria 363
prodromaria 253, 363
Bitoma unipunctata 208
BITURUS
fumatus 374
tomentosus 170, 374
Blackamoor moth 401
Black beetle 61
Black-neck m. 433
Black-veined m. 404
Black waved h. m. ib.
BLAPS
lethifera 389
mortisaga 59, 192, 369
Blapsidæ, (Fam.) 192
Blastus
tetraodon ib.
BLATTA 220
livida 380
orientalis 61
BLEDIUS, *Leach* 174
BLETHISA
multipunctata 152, 365
Blood, in small fish, an object for the microscope 333
Blood-vein moth, large 424
———, *small* ib.
Blossom Underwing 363
Blotchback, brown 436
———, *silver* 335
———, *tawny* 436
———, *triple striped* 386
Blue, azure 242, 381, 430
——, *Bedford* 242, 381, 417
——, *chalk-hill* 241, 417
——, *Clifden* 241, 381, 430
——, *common* ib.
—— *L.* 370, 417
——, *large* 417
——, *mazarine* 242, 381, 417
——, *studded* 242, 417
—— *L.* 370
Body (*corpus*) 344
Boletaria, *Marsh.* 207
quadripustulata ib.
BOLILOPHAGUS
Agaricola 194, 390
BOLITOBIUS, *Leach* 176
BOMBUS
agrorum 414
Albinella 437
Barbutella 414
Beckwithella 413
Burrellana 414
campestris 372
Cullumana 414
Curtisella ib.
Derhamella ib.
Donovanella ib.
flavicollis 428
floralis 413
Fosterella 414
fragrans 437
Francillonana 413
Francisana 414
Harrisella ib.
hortorum ib.
Jonella ib.
lapidaria ib.
Latreillella 437
Lecana 414
lucorum 437
Muscorum 413
pratorum 387
Raiella 414
Rossiella ib.
rupestris ib.
Schrimshirana ib.
Sorensis ib.
subinterruptus 372
subterranea 414
sylvarum 437
terrestris 288, 428
Tunstallana 414
vestalis ib.
virginalis 428
Bombycidæ (Fam.) 245
Bombycites, *Latr.* 245
Bombyliaria, *Latr.* 295
Bombylidæ (Fam.) 295
BOMBYLIUS
major 72, 295, 372
medius 372
minor 428
Bombyx, *Hubner* 246
antiqua 431, 439
cæruleocephala 431
—— *l.* 382
cassinea 439
—— *l.* 382
*compressus 254
coryli 250, 370, 418
coryli *l.* 382, 439

Bombyx
*curtula 247
—— *l.* 439
Dodonæa 399
gonostigmata 418, 432
Quercea 399
*reclusa 247
—— *l.* 439
Roboris 399, 439
Bombyx Quercus, curious account of 315
Bones, calcined, for the microscope 333
Bonnet's experiments on the antennæ of insects 22
Bonsdorff's experiments on the antennæ of insects ib.
Border, small blue 434
——, *clouded* 385, 423
——, *lace* 424
Bordered, b'ack 403
Bostrichus Typographus 205
cylindricus 206
Bostricidæ, (Fam.) 205
Bostricini, *Latr.* ib.
Bot-fly. method of depositing its eggs 39
Bots of horses 70

BOTYS
angulnalis 427
angustulus 426
arcualis ib.
atralis ib.
cespitalis 427
cineralis 408
cingulatis 427
cucullatalis 425
elutalis 426
ferrugalis 426
flavalis ib.
forficalis ib.
glabralis ib.
hybridalis 425, 436
hyalinalis 426
Lemnata 425
limbalis 426
literalis 425
longalis 426
lutealis ib.
nebulalis ib.
BOTYS
nivealis 408
Nymphæata 426
ochrealis 426
ostrinalis 427
Porphyrialis ib.
Potamogeta 426
pulcalis ib.
punicealis ib.
purpuralis 255, 386
Sambucata 426
sericealis ib.
sordidalis 427
S ratiotalis 425
strigulalis 386
terminalis 426
tetragonalis 436
urticata 426
verbascalis ib.
verticalis ib.
Box, pocket collecting 308
Braces, their use 309
BRACHINUS
crepitans 154, 373
Brachypterus, *Klug.* 170
Brachyrinus argentatus 202
Brachyura, (Order) 82
BRACON
Desertor 270, 412
BRANCHIOPODA
stagnalis 81
Breast, *Pectus* 31
Breeding cages 309
——, the most convenient size of 310
——, deal, objectionable 309
Bremus, *Jurine* 287
BREPH, *Hüb.* 252
Brephos, *Och.* ib.
Brick-moth 440
Bright-eye b:own line 421
Brimstone, b. 236, 395, 429
——, *m.* 371, 406, 434
Brindle, clouded 419
——, *slender-cl.* ib
——, *small-cl.* 401
——, *clouded bordered* 252, 419
——, *dark* 371
——, *forked-striped* ib.
——, *pale* 363
Brindle, small 360
Brindled, dusky 426
——, *white* 408
—— *barred yellow* 371
Broad-barred Tortrix 441
Brocade, beautiful 400
——, *dark* ib.
——, *great* 419
——, *light* 400
——, *pa'e-shoulder-ed* 400
Broom moth 250, 251, 401
—— *l.* 283
—— *Tip* 384
BROSCUS
cephalotes 153, 365
Brown-bar, great 251, 403
Brown, butterfly, blackspot 242, 381, 417
—— *l.* 370, 396
——, *meadow* 240, 396
——, *small meadow* 240
——, *white-spot* 242, 417
——, *moth, marbled* 399
——, *lunar marbled* ib.
—— *l.* ib.
——, *pale shining* 400, 419
Brown-eye bright line 383
Brown tail mo. 248, 431
—— *l.* 398
BrownTinea, clouded 360
Brown bordered Tor. 364
Bruchelæ, *Latr.* 199
Bruchidæ, (Fam.) ib.
BRUCHUS
ater 360
Pisi 53, 200, 376
seminarius 390
Brussels Lace m. 424
BRYAXIS
fossulata 375
hæmatica 359
impressa 179, 375
Juncorum 367
longicornis 179, 367
sanguinea 367
BUCENTES
cinereus 298
Buff, clouded 248, 398
——, *crested* 425
——, *small-dotted* 403
—— *Tip* 247, 398
—— *l.* 439

Bull-rush moth 251, 432
BUPALUS
pinarius 253
Buprestiadæ (Fam.) 160
Buprestis, *Geoff.* 144
BUPRESTIS
biguttata 58, 160, 388
*emarginatus 160
*minuta ib.
viridis 160, 388
Burnet, five-spotted 397
——, *six-spotted* 245, 397
—— *moth* 403
Burnished brass 250, 403
——, *scarce* 403
Button Tortrix, Bay-shouldered 359
——, *dark-streaked* 435
Butterflies, method of arranging 322
——, method of setting 320
Byrrhi, *Latr.* 182
Byrrhidæ (Fam.) 182
BYRRHUS
dorsalis 367
fasciatus 362
murinus 367
Pilula 50, 182, 362
*Scrophulariæ 182
semistriatus 360
varius 367
BYTHINUS
Curtisii 178, 389
securiger 375
C. white, B. 417
—— *l.* 396
CÆLIOXYS
conica 285, 428
Cabbage-moth, 400, 419, 432
Cabinet for insects, form of a 310
Cabinet, method of arranging insects in 322
——, number of drawers for a 310
Cabinets must be kept dry 311
—— should be well camphored 312
——, small, recommended 311
CALANDRA
granaria 204, 362
lignaria 362
CALATHUS
cisteloides 152, 361
littoralis 387
melanocephalus 361
CALEPTERYX
ludovicia 410
Virgo 259, 410
CALLIANASSA
subterranea 94
CALLIDIUM
*Arietis 210
bajulum 392
violaceum 210, 392
CALLIGUS
Mulleri 79
CALLIMORPHA
Dominula 248, 398
—— *l.* 382
fuliginosa 399
Jacobæa 248, 399
—— *l.* 431
Rosea 248, 399, 418
CALLISTUS
lunatus 150
CALOBATA
filiformis 299
CALOSOMA
Inquisitor 146, 387
Sycophanta 146, 387
Camphor, crystals of, for the microscope 337
—— necessary for cabinets 312
Campion-moth, 251, 420
CAMPTECOPEA
hirsuta 107
CANCER
*angulatus 87
*aranens 89
*articulosus 103
*aspera 88
*Astacus 95
*Bernhardus 92
*biaculeatus 88
*bipes 100
*Bufo 89
*cassivelaunus 83
*corrugatus 85
*crangon 96
*Dorsettensis 90
*Gammarus 95, 110
CANCER
*grossimanus 103
*grossipes 105
*hirtellus 86
*horridus 90
*incisus 86
*latipes 84
*littoreus 102
*Locusta 104
*nitescens 99
*Norwegicus 96
*Mænas 84
*Maja 89, 90
*marmoreus 85
*palmatus 103
Pagurus 85
*pedatus 105
*personatus 83
*Phalangium 91
*Phasma 106
*platycheles 92
*puber 84
*rubricatus 104
*rugosus 93
*Saltator 102
*scorpio 90
*sedentarius 101
*spinosus 102
*squilla 98
*squinado 89
*stagnalis 81
*strigosus 93
*subterraneus 94
*tetraodon 88
*tuberosus 91
*velutinus 84
Canceridæ (Fam.) 85
Cantharidæ 197
Cantharis, *Linné*, 56, 163, 164, 196
CANTHARIS
*ænea 165
*biguttata 56
*fusca 56, 164
*serraticornis 163
vesicatoria 198, 390
CAPRELLA
Phasma 105
Caprelladæ (Fam.) ib.
CAPSUS
ater 222, 380
ruficollis 394
spissicornis ib.
Caput the head 21, 342

Carabidæ (Fam.) 144
Carabus, *Linn.* 59
CARABUS
*arenarius 146
arvensis 387
*aterrimus 151
catenulatus, 145, 146, 360
*cephalotes 153
*chrysostomus 156
*einctus 152
*cisteloides ib.
clathratus 364
*complanatus 146
*crepitans 154
*Crux minor 155
*cupreus 153
*cyaneus 145
*cyanocephalus 155
*depressus 154
*dimidiatus 175
*distans 153
*festivus 151
*gibbus 150
*gibbosus ib.
glabratus 387
*granulatus 146
*hortensis ib.
*humeralis 154
*intricatus 145
intricatus 373
*leucopthalmus 152
*lunatus 150
*monilis 146
monilis 373
morbillosus, 146, 364, 442
*multipunctatus 152
nemoralis 145, 360
nitens 373
*pilicornis 150
*pumicatus 153
*rostratus 145
*seealis 149
*sex-punctatus 150
*spinibarbis 147
*staphylionoides 175
*Striola 154
*tenuis 153
*vestitus 151
violaceus 145, 360
*vivalis 151
*vulgaris 152
CARADRINA, *Och.* 251
CARCINUS
Mænas 84
Carpenter, the, or millipede
CARPELIMUS, *Kir.* 174
Carpet, Autumn 441
——, *beautiful* 404
——, *beech-green* 434
——, *blue-bordered* 404, 434
——, *blunt-angled* 405
——, *broken-barred* 406
——, *chalk* 424
——, *cloaked* 406
——, *common* 385, 434
——, *degenerate* 434
——, *February* 560
——, *flame* 434
——, *Galium* 405
——, *garden* 384
——, *gray* 422
——, *green* 404
——, *insulated* 371, 385
——, *large* 433
——, *least* 406
——, *lesser satin* 402
——, *marbled* 424, 435
——, *brown-marbled* 384
——, *common-marbled* ib.
——, *dark marbled* 424
——, *yellow-marbled* 384, 435
——, *oblique* 434
——, *red-green* 443
——, *rufous* 405
——, *sandy* 406
——, *scorched* 404, 434
——, *sharp-angled* 424
——, *short-barred* 384
——, *twin-spot* 424
——, *waved* 384
——, *water* 371
——, *wood* 423
CASSIDA
cruentata 378
equestris 211, 378
maculata 52, 429
marcida 378
*murræa 52
nebulosa 429
nobilis 378
Spergulæ 416
similis 378
CASSIDA
splendidula 378
*viridis 211
Catalogue of insects, how formed 323
CATERETES
bipustulatus 366
rufilabris 170, 366
Caterpillars all hatched from eggs 40
——— change their colour after moulting 41
——— change their skin 40
———, method of collecting 307
———, time for collecting 315, 316
———, each kind should be kept by themselves 310
———, method of preserving 318
CATOPS
*brevicornis 169
chrysomeloides 366
*elongatus 168
nigricans 366
sericeus 168, 366
Cauda, *the tail* 33
——, discrimination of the 343
CECIDOMYIA
lutea 291, 387, 437
Cemonus unicolor 278
Centris, *Fabr.* 285
Cephaleia, *Jurine* 267
Cephaloculus, *Lam.* 81
Cephalotes, *Bonelli* 153
CEPHUS
pygmæus 267, 412
Cerambycini, *Latr.* 209
CERAMBYX
*ædilis ib.
*arcuatus 55
*Arietis 210
*coriarius 208
*lineato-collis 209
moschatus 55, 209, 392
*nebulosus 209
*oculatus ib.
*Textor 55, 209
*violaceus 210

CERASTIS, *Och.* 252
CERATINA
cærulea 283, 413
CERATOPHYTUM
Latreillii 161, 429
CERCERIS
quadricinctus 279, 413
CERCOPIS
sanguinolenta 231, 394
Cereus rufilabris 170
CERCYON
laterale 362
melanocephalum 188, 362
minutum ib.
quisquilium ib.
simile ib.
sordidum ib.
terminatum ib
unipunctatum 188, 362
Cereopidæ, (Fam.) 230
CERIA 297
CEROPALES
maculata 275
Cerophytum Elateroides 161
CERURA
bifida 398
Furcula 248, 418
——— *l.* 439
Minax 398
Vinulia 248, 382
——— *l.* 431
CERYLON
bipunctatum 391
dermestoides ib.
histeroides 206, 391
CETONIA
aurata 192, 375
——— *l.* 362
*fasciata 191
CHALCIS
clavipes 271, 412
CHELIFER
fasciatus 119
Geoffroyi 358
Hermanni ib.
Latreillii ib.
Muscorum 372
CHELOSTOMA
florisomne 284, 413
Chequered, dark 441
Chermes, *Linné* 63
Betulæ 231
CHERMES
Betulæ Alni 231
Chesnut moth 252, 440
——— *barred* 421
———, *bearded* 440
———, *dark bearded* ib.
———, *pale bearded* ib.
———, *black* ib.
———, *dark* ib.
———, *flounced* ib.
———, *iron* ib.
———, *marbled* 443
———, *netted* 440
———, *red* 363
———, *veiny* 440
Chevron moth 384
Cheyletidæ, (Fam.) 135
Chi moth 251, 432
CHILOCORUS
bipustulatus 393, 438
Cacti 215, 438
4-verrucatus 393, 438
Chilognatha, Order 113
Chimney-sweeper, looping 406
———'s *boy* 409
China-mark, beautiful 426
———, *garden* 425
———, *gold* 426
———, *large* ib.
———, *lettered* 425
———, *ringed* ib.
———, *rusty* 426
———, *small* 425
———, *straw* 426
———, *small straw* ib.
CHIRONOMUS
plumosus 290, 387, 437
CHLÆNIUS
festivus 151, 361
Chocolate Tip 370
——— *l.* 439
———, *small* 382
——— *l.* 439
CHOLEVA
agilis 366
*brunnea 169
oblonga 168, 365
Christiernian Tortrix 407
Chrysididæ, (Fam.) 271
Chrysidides, *Latr.* ib.
CHRYSIS
affinis 412
*aurata 272
CHRYSIS
bidentata 68, 412
cyanea 412
effulgens ib.
fulgida ib.
ignita 272, 412
*Panzeri 272
Stroudera 412
CHRYSOMELA
aucta 369
Banksii 213, 379
Betulæ 379
*Boleti 194
*buprestoides 185
*caraboides 195
*ceramboides ib.
*cervina 162
clavicornis 379
*coccinea 215
coriaria 53, 369
10-notata 393
10-punctata ib.
*elongata 165
fastuosa 392
fulgida 416
Goëttingensis 369
Graminis 392
hæmoptera 379
*halensis 212
*hemisphærica 163
*hirta 196
Hyperici 379
Hypochæridis ib.
limbata 369
Litura 213, 362
lurida 393
marginella 213, 369
marginata 393
*merdigera 53, 211
*oleracea 212
pallida 379
polita 369
Polygoni ib.
Populi 379
*quadripunctata 214
quinquejugis 379
sanguinolenta 369
*sericea 213
staphylea 369
*Tanaceti 53, 212
tenebricosa 369
*testacea 212
Tremulæ 379
unicolor 393

CHRYSOMELA
varians 416
Vitellinæ 393
Chrysomelidæ (Fam.) 211
Chrysomelinæ, *Latr.* ib.
CHRYSOPA
alba 410
capitata ib.
fulvocephala ib.
Perla 260, 410
reticulata 410
CHRYSOPS
cæcutiens 293, 414
CHRYSOTOXUM.
arcuatum 291, 415
CICADA 229
Anglica ? 394
*cornuta 231
*sanguinolenta ib.
viridis 61
Cicadariæ I. *Latr.* 229
Cicadariæ II. *Latr.* 230
Cicadidæ (Fam.) 229
Cicindela, *Oliv.* 156
CICINDELA
*aquatica 148
campestris, 57, 144, 360
Germanica 144, 387
hybrida ib.
sylvatica, 57, 144, 387
Cicindeliadæ (Fam.) 144
CILEX
compressa, 254, 385, 435
CILISSA
tricincta 281
CILLENUS
lateralis 148, 373
CIMBEX
annulata 427
10-maculata ib.
europæa 262, 427
*fasciata 263
*femorata 262
Griffinii 427
humeralis ib.
*læta 263
maculata 427
*marginata 263
*sericea ib.
varians 427
CIMEX
*acuminatus 221
*bidens ib.
lectularius, 62, 223, 394
*marginatus 222
*prasinus 221
*stagnorum 224
*tipularius 222
*tipuloides 223
Cimicidæ, (Fam.) 223
Cimicides, I. 1. *Latr.* 224
———, I. 2. *Latr.* ib.
———, II. *Latr.* ib.
Cinnabar moth 248, 399
——— *l.* 431
Cinthia Cardui 238
CIONUS
bipustulatus 391
Hortulanus ib.
immunis 378
Scrophulariæ 203, 391
Thapsi ib.
Ciron de la Gule 133
CIS
bidentatus 391
Boleti 206, 378
concinnus 391
Cisidæ, (Fam.) 206
Cistela, *Marsh.* 183
———, *Oliv.* 162
CISTELA
*angustata 168
castanea 390
ceramboides 195, 390
fulvipes ib.
fusca ib.
humeralis ib.
murina 375
nigra 369
sulphurea 195, 390
CIXIUS
nervosus 230, 380
CLADIUS
difformis 266, 412, 427
CLAVELLARIA
Amerinæ 411
marginata 263, 411
Clavicera, *Walck.* 283
Claws, *Ungues* 35
Clay moth, bright-eyed 421
———, *dotted* 433
———, *ingrailed* 421
———, *purple* 433
———, *rufous* 421
Clear-under-wing 397
Clearwing, black & white bordered 397
———, *currant* ib.
———, *flame-tipped red-bordered* 418
———, *red-belted* 417
———, *six-belted* 397
———, *yellow-legged* ib.
———, *yellow-tailed* ib.
CLEPTES
aurata 412
semi-aurata 271, 412
Clerus *formicarius 165
*mollis 166
CLITELLARIA
Ephippium 292, 414
CLIVINA
*arenaria 153
Fossor 153, 361
*gibba 154
sanguinea 365
CLŒON
pallida 259, 410
CLOSTERA, *Hoffm.* 247
curtula 370
reclusa 382
Clothes moth 249
Cloud, silver 382
Clouded yellow B. 236, 395, 429
———, *pale* 236, 429
Clover moth, marbled 252, 422
CLUBIONA
atrox 124
lapidicola 123, 360
Nutrix 124, 415
Clypeus, *shields of the mouth* 30
CLYTHRA
4-punctata 214, 393
tridentata 393
CLYTUS
Alni 392
arcuatus ib.
Arietis 210, 392
mysticus 392
Cnemidotus, *Illig.* 157
Coccidæ, (Fam.) 233
COCCINELLA
bis-6-guttata 393
*Cacti 215

COCCINELLA
conglobata 393
conglomerata ib.
dispar 359
12-punctata 438
globosa 362, 438
hieroglyphica 393
humeralis 359
impustulata 393
instabilis 359
lateralis 393
mutabilis 429
19-punctata 438
oblongo-guttata 369
ocellata 393
18-guttata 362, 393
5-punctata 393, 438
14-guttata 52, 393
14-pustulata 393
7-punctata 215, 359
16-guttata 438
13-punctata ib.
11-punctata 393
22-punctata 362, 393, 438
variabilis 359
Coccinellidæ, (Fam.) 215
COCCUS
Abietis 395
Aceris ib.
Alni ib.
Betulæ ib.
Cacti 63, 233
conchiformis 395
Capreæ ib.
Carpini ib.
Coryli ib.
catafractus ib.
Fragariæ ib.
fuscus ib.
Mespili ib.
Oxyacanthæ ib.
Persicæ ib.
Phalaridis ib.
Pilosellæ ib.
polonichus ib.
Quercus ib.
Salicis ib.
Scrratulæ ib.
Tiliæ ib.
Ulmi ib.
Uva-ursi ib.
variegatus ib.
Cochineal, how made, 63
Cock Roach 61
Codlin Tortrix 425
Coleoptera, *Linn.* 47, 216
——— *Marsh.* 216
——— characters of the order 138
——— classification of the order 143
——— method of arranging 322
——— method of preserving & setting 319
——— open winged, specimens how set ib.
COLLETES
fodiens 427
succincta 280, 437
COLIAS
Edusa 236, 429
Hyale 236, 395, 429
Colours 343
COLOCASIA (*Och.*) 250
Colydium frumentarium 208
COLYMBETES
abbreviatus 373
agilis 429
bipunctatus 359
bipustulatus ib.
colconatus 388
collaris 373
conspersus ib.
fenestratus 388
fontinalis 415
fuliginosus 443
maculatus 158, 373
notatus 373
oblongus 388
obscurus 373
politus 365
striatus 158, 365
uliginosus 359
vitreus 388
Comma, B. 238
Commons, near London 313
Comparative anatomy, object of 74
Cona, *Schel.* 300
CONOCEPHALUS
griseus 416
varius 416
verrucivorus 438
CONOCEPHALUS
viridissimus 218, 438
CONOPS
aculeata 298, 415
macrocephala 72
Conopsarii, *Latr.* 298
Conopsidæ (Fam.) ib.
Convex glasses, table of the powers of 325
Copper, common 396, 430
——, *large* 241, 417
——, *middle* 430
——, *purple-edged* 241, 430
——, *scarce* 241
——, *small* 241, 370
Copper Underwing 432
Copridæ, (Fam.) 188
COPRIS
lunaris 188, 368
Coprophagi, I. *Latr.* 188
———, II. *Latr.* 189
CORDULEGASTER
CORDULIA
ænea 258, 410
annulata 258, 410
Coreidæ, (Fam.) 221
CORETHRA
cuculiformis 290, 387, 437
COREUS
hirticornis 394
marginatus 222, 380
rhomboideus 394
Corise, *Geo* . 229
Corisiæ, I. *Latr.* 220
———, II. *Latr.* ib.
CORIXA
affinis 229, 363
coleoptrata 228, 363
dorsalis ib.
fossarum ib.
Geoffroyi 229, 363
lateralis 228, 363
stagnalis ib.
striata ib.
Cork for drawers, the finest and best 311
Corking drawers, the method of ib.
Coronet moth, 250, 400
———, *marbled* 251, 400
COROPHIUM
longicorne 105
Corpus, *the body* 344

Corticaria frumentaria 208
oblonga ib.
taxicornis 207
Corylus Avellana, curious experiments on the farina of 335
CORYNETES
*ruficollis 166
CORYSTES
cassivelanus 83
*dentatus ib.
Corystidæ, (Fam.) 82
COSMIA, *Hüb.* 252
COSSONUS
hypoleucus 416
linearis 204, 369
COSSUS
Ligniperda 246, 397
Coxa 34
Crab, common 85
——, *Hermit* 92
——, *King* 89
——, *Old Man's face* 83
——, *Soldier* 92
——, *Thornback* 89
CRABRO
cribarius 278, 413
*lunatus 252
Crabronidæ, (Fam.) 278
Crabronites, *Latr.* ib.
CRÆSUS
septentrionalis 266, 412
Crambites, *Latr.* 254
CRAMBUS
acinacidea 409
arborum 408
Cardui ib.
carnea ib.
caudea 409
cespitis 408
consorta ib.
culmorum ib.
cultrea 409
falsa 437
geniculea 408
gigantea ib.
hortorum ib.
ocellea 364
pascuea 437
petrificia 408
Pineti 255, 408
pinguinalis 255
Pratorum 403
CRAMBUS
Rosea 408
sanguinea 386, 437
striga 437
CRANGON
vulgaris 96
CRASPEDOSOMA
polydesmoides 114, 358
Raulinsii ib.
CRATERINA
Hirundinis 303, 415
Cream-wave, broad-striped 384
——, *dwarf* 405
——, *lesser* 423
——, *pale* 384
CREOPHILUS, *Kirby* 172
Crepuscularia, (Sect.) 243
Crescent 420
——, *beautiful* 371
——, *green-brindled* 439
——, *l.* 401
Crimson and Gold 386
Crimson-speckled 439
Crimson Underwing 250
——, *dark* 422
——, *lesser* ib.
——, *light* ib.
Crioceridæ, (Fam.) 211
Crioceris, *Marsh.* 162
CRIOCERIS
Asparagi 378
*caraboides 195
cyanella 392
12-punctata ib.
flavicollis ib.
*flavipes 212
melanopa 416
merdigera 211, 392
*nigricornis 212
puncticollis 416
subspinosa 392
Crocisa atra 286
Crustacea, anatomical view of the 75
——, history 76
——, method of collecting 316
——, method of preserving ib.
——, pins used for 309
——, writers on the 76
——, classification of the 78
Crustacea for the microscope 78, 333
CRYPTOCEPHALUS
bilituratus 393
Coryli ib.
flavilabris ib.
labiatus ib.
lineola 53, 393
marginellus 393
Moræi ib.
nitens ib.
pusillus ib.
*quadripunctatus 214
sericeus 213, 393
6-punctatus 393
similis ib.
CRYPTOPHAGUS
cellaris 169, 429
*crenatus 169
denticulatus 429
hirtus ib.
pallens 389
phæorrhæus 438
Populi 429
ruficollis 438
serratus 429
Typhæ ib.
CRYPTOPS
hortensis 116, 358
Savignii 358
CRYPTORHYNCHUS
assimilis 377
canescens 378
contractus 377
dentatus ib.
Erysimi 203, 391
globosus 377
horridus ib.
inflexus 378
Lapathi 377
leucogaster ib.
Lythri ib.
melanorhynchus 378
melanostictus 377
obstrictus ib.
ovalis ib.
pleurostigma ib.
phæorhynchus ib.
ptinoides ib.
Quercicola ib.
ruber 378
sulculus 377
Urticæ ib.
viduus ib.

Cryptus, *Fabr.* 269
CRYPTUS
*furcatus 264
*Irrorator 270
pallipes 411
Villersii 264, 411
Crystals, method of obtaining, for the microscope 337
——— of Camphor ib.
——— of Salt ib.
——— of Silver ib.
CTENOPHORA
atrata 291, 387, 437
CUCULLIA, *Schrank.* 252
CULEX
pipiens 71, 290, 359
CURCULIO
*Alismatis 204
*Alni 203
argentatus 202, 377
*aterrimus 204
*binodulus ib.
cnides 377
*Coryli 201
*Equiseti 204
*Germanus 203
*granarius 204
*hispidulus ib.
*incanus 205
*linearis 204
*lineatus ib.
Mali 377
*niger 204
*nigrorostris 205
*nitens 54
*Nucum ib.
oblongus 377
*parallelopipedos 204
*Pini 202
Pyri 54, 390
*ruficollis 199
*Scrophulariæ 54, 203
sericeus 377
*sulcirostris 204
*triguttatus ib.
unifasciatus 377
Curculionidæ, (Fam.) 200
Curculionites, *Latr.* ib.
Cuvier's distribution of Animals 75
Cyamus Ceti 106
CYCHRUS
rostratus 145, 358, 373
CYCLOPS, *Geoff.* 81
*quadricornis ib.
CYDNUS
oleraceus 221
Cymindis, *Gyll.* 154
CYMINDIS
humeralis 154, 361
CYMODICE
truncata 108
Cymothea serrata ib.
CYMOTHOA
Œstrum 109
Cymothoadæ, (Fam.) 107
CYNIPS
capræa 271, 412
*Quercus folii 67, 270
*scutellaris 270
Cynipsera, Latr. ib.
Cynipsidæ, (Fam.) 270
CYPHA, *Kirby* 176
CYPRIS
conchacea 80
Cyphon hemisphæricus 163
pallidus 162
Cypris pubera 80
CYTHERE
viridis 81
Dacne humeralis 169
Dacus, *Fabr.* 299
Dagger moth, autumnal 443
——, *dark* 400
——, *light* ib.
——, *March* 364
——, *scarce* 400
DAPHNIA
Pulex 80
Dark Tawny 399
Dart Moth, archers 421
——, *black* 402
——, *brindled* ib.
——, *broad-veined* 402
——, *chainshot* ib.
——, *dark* ib.
——, *double* 251, 421
——, *garden* 421
——, *lineolated* ib.
——, *necklace* 420
——, *pectinated* 402
——, *pitchy* 421
——, *pupilled* ib.
——, *rufous* 251, 421
——, *shuttle-shaped* 433
Dart moth, square-spot 421
——, *striped square-sp.* ib.
——, *stout* 433
——, *wedge-barred* 421
——, *white-line* ib.
DASCILLUS
cervinus 162, 388
Dasychira, *Hüb.* 246
Dasypoda, *Illig.* 283
DASYPODA
plumipes 280, 437
DASYPOGON
punctatus 295, 414, 428
DASYTES
æneus 374
ater 164, 374
cæruleus 388
flavipes ib.
viridis ib.
Day moth, drab 443
——, *rosy* 360
December, Calendar for 443
———, employment for 316
December moth 444
Definition of Insects 21
DEILOPHILA, *Och.* 243
Delphax clavicornis 230
DEMETRIAS
atricapilla 156, 358
monostigma 156, 365
DENDROPHILUS
punctatus 184, 375
DEPORÆUS
Betulæ 201, 376
Dermaptera, character of the order 139
———, classification of the 216
Dermestes, *Geoff.* 185
Dermestes, *Thunb.* 207
DERMESTES
*adstrictor 183
*Boleti 206
*Calthæ 214
*cellaris 169
*Fungorum ib.
lardarius 181, 367
*marginatus 207
murinus 48, 389
*Pellio 182
*ruficollis 166
*Scarabæoides 187

DERMESTES
*scolytus 48
tessellatus 375
*Typographus 205
*undatus 182
Dermestidæ, (Fam.) 181
Dermestini, *Latr.* ib.
Desfontianian Tortrix 435
Dew moth 418
DEXAMINE
spinosa 102
Dial Tortrix 364, 441
Diamond-back, testaceous 436
Diamond spot 436
DIANOUS, *Gyll.* 173
Diaperidæ, (Fam.) 193
DIAPERIS
Boleti 194, 389
ahenea 389
Dictyoptera, characters of the order 139
———, classification 219
Digger, use of the 308
Dimera, *Latr.* 177
Dimerosomata, characters of the order 118
———, classification of the 119
Dimorpha, *Hüb.* 247
Dimorpha, *Jurine* 276
DINARDA, *Leach* 177
DINETUS
pictus 277, 413
DIOCTRIA
Œlandica 295, 414
Diploleparіæ, *Latr.* 270
Diplolepidiæ, (Fam.) ib.
DIPLOLEPIS
Quercus folii 270, 412
Diptera, *Linné* 70, 289, 302
———, characters of the order 139
———, classification of the 289
———, method of arranging 322
———, method of preserving 321
Diraphia, *Illig.* 232
Directions for the microscope 323
Dircæa, *Fabr.* 195
Dismal moth 420
Diurna (Sect.) 234
Dog's-tooth moth 419
DOLERUS
Gonagra 265, 412
opacus ib.
DOLICHURUS
ater 275, 413
DOLOMEDES
mirabilis 129, 372
Dolychopodæ 294
Dolychopodes, *Latr.* ib.
DOLYCHOPUS
nobilitatus 294, 414
DONACIA
*Equiseti 211, 392
fasciata 378
fusca ib.
Hydrocharis ib.
linearis ib.
melanocephala ib.
micans 211, 378
Nymphææ 378
palustris ib.
Sagittariæ ib.
simplex 211, 378
vittata 378
*Zostera 211, 392
Donovan's method of preserving spiders 317
DOROS
conopseus 297, 415
DOSYTHEUS
Eglanteriæ 265, 412
Junci ib.
Dot moth, 400
———, *red* 440
———, *rusty* 426
———, *straw* ib.
Dotted, curve 364
——— *border* 363
Double-blotched, black 441
Double line moth 422
———, *scolloped* 423
Double lobed 420
Double-striped 427
Drab-moth, dark 370
———, *ferrugineous* 371
———, *twin-spotted* 370
Drab Tortrix, lesser 386
———, *spotted* ib.
DRASSUS
ater 123, 360
lucifuge 123
melanogaster 123, 360
Drawers of a cabinet, the size, &c. 310
——— method of corking 311
——— method of papering ib.
DRILUS
flavescens 163, 388
Drinker moth 418
——— *l.* 398
DROMIUS
linearis 358
punctomaculatus ib.
pusillus ib.
quadrimaculatus 155, 358
rufescens ib.
DRUSILLA, *Leach* 177
Dryops, *Oliv.* 185
DRYPTA
emarginata 156, 373
DYNAMENE, *Leach* 108
DYSCHIRIUS
gibbus 153, 358
DYSDERA
erythrina 122
Dyticidæ, (Fam.) 156
DYTICUS
circumflexus 159, 359
marginalis ib.
punctulatus 359
Dytis clavicornis 158
Dytiscus, *Linn.* 58
———
*confluens 158
*crassicornis ib.
*Hermanni 157
*minutus 158
*ovatus 157
*paraplurus 159
*sparsus 158
*sulcatus 159
*Volckmari 185
Dun-bar 433
Dwarf, barred 425
Ear moth, golden 433
Early moth 559, 360
Earwig 60
EBALIA
Pennantii 91

Echimuthus
cyanocephalus 155
ECHINOMYIA
grossa 301, 428
Edge, black-striped 436
Edriophthalma,(Leg.)100
Eels in paste, how obtained for the microscope 334
Egger moth 247
——, *grass* 382
——, *large* 418
——, *l.* 398
——, *oak* 438
——, *l.* 382
——, *small* 360
——, *l.* 398
Eggs of Insects 38
——, how preserved 318
ELAMPUS
Panzeri 272, 412
ELAPHRUS
riparius 148, 361
uliginosus 364
Elater, *Rossi* 185
——, *Linn.* 57, 161
ELATER
æneus 162, 373
balteatus 373
bipustulatus 388
*buprestoides 160
castaneus 161
castanipes 373
cupreus 388
*cyaneus 57, 162
cylindricus 388
*dermestoides 183
ephippium 388
ferrugineus 161, 388
holosericeus 373
lineatus ib.
longicollis 388
marginatus 162, 373
mesomelus 373
metallicus 388
minutus 373
murinus 162, 365
niger 373
nitidulus 361
obscurus 365
pectinicornis 388
Pomonæ ib.
præustus ib.
ELATER
4-pustulatus 388
riparius ib.
ruficollis ib.
rufipennis ib.
rufipes ib.
sanguineus 57, 388
semiruber 162
sputator 373
tessellatus ib.
thoracicus 388
unicolor 373
vittatus 388
Elateridæ, (Fam.) 161
ELODES
*hemisphærica 163
melanura 373
mollis ib.
nigricans ib.
pallida 162, 373
Eledona Agaricola 194
ELONIUM, *Leach* 175
Elophilus, *Meig.* 297
Elophorus, *Fabr.* 186
Elytra *or wing-cases* 37
——, how discriminated 345
Emerald m., blotched 423
——, *common* 404
——, *grass* 424
——, *small grass* 383
——, *large* 253, 422
——, *light* 422
——, *little* 383
——, *small* 424
Emperor, Purple b. 239, 417
——, *l.* 381
——, *moth* 246, 381, 431
——, *l.* 381
EMPHYTUS
ceria 265, 412
cinctus ib.
succinctus 412
tibialis 265, 412
Empidæ, (Fam.) 295
Empides, *Latr.* ib.
EMPIS
Borealis 295, 414
pennipes 72, 414
EMUS, *Leach* 172
Endomychidæ,(Fam.)215
ENDOMYCHUS
coccineus 215, 379
ENDROMIS
versicolor 247, 370
—— *l.* 398
ENGIS
ferruginea 443
humeralis 169,374,443
rufifrons 374, 443
Entomology, its advantage to the man of science 17
——, a neglected science ib.
Entomon, *Klein* 106
——, hieroglyphicum 110
Entomostraca, character and classification of the subcl. 78
EPAPHIUS
secalis 149
EPEIRA
Diadema 127, 428
EPEOLUS
variegatus 286, 428
EPHEMERA
*diptera 259
vulgata 65, 259, 410
Ephemeridæ,(Fam.) 259
Ephemerinæ, *Latr.* ib.
Ephippium, *Latr.* 292
EPOMIS
cincta 151, 387
ERASTRIA, *Och.* 252
Erax, *Scopoli* 294
ERIOGASTER
lanestris 247, 360
—— *l.* 398
Populi 247, 444
Eriops, *Klug* 283
ERIOSOMA
Mali 232, 380
Eriothrix, *Meig.* 301
ERISTALIS
Narcissi 297, 415
ERISTHETUS,*Knoch* 174
Ermine moth, 248, 382
——, *buff* 248, 393
—— *l.* 431
——, *Thistle* 408
——, *water* 248, 398
—— *l.* 431
Erotyla, *Hüb.* 252
Erotylidæ, (Fam.) 214

EUCERA
longicornis 287, 413
EUCLIDIA, *Hüb.* 252
EUPLECTUS
Reichenbachii 178, 375
EUPLOCAMUS
Guttella 249
EURYDICE
pulchra 109
EURYNOME
aspera 88
EVANIA
appendagaster 268, 412
Evaniadæ, (Fam.) 268
Evaniales, *Latr.* ib.
Evodia calendarum 280
Exorista, *Meig.* 301
Exotic specimens of Insects, why rejected 322
Eyes of Insects 21
Fabricius's Classes of Insects 44
Fabricius'sSystem universally rejected 46
FALAGRIA, *Leach* 177
Fanfoot moth, 407
——, *clay* ib.
——, *common* 385, 423
——, *small* 407
February, Calendar for 360
——, employment for 314
Feelers or Palpi 29
Feet, *Tarsi* 34
Femur, the thigh ib.
——, discrimination of the 347
FENUSA
pumila 265, 411
Fern moth 384
Fern, time for collecting Insects from 316
Festoon m. 418, 432
FIGITES
scutellaris 270
Figure of 8 m. 431
—— *l.* 382
Filicornis, (Sect.) 260
Fish, scales of, for the microscope 333
Flame m. 399 422
Flat body, common 437, 443
FLATA
*nervosa 230
reticulata 230, 380
Flounced rosy 406
Fly, house 71
FŒNUS
Jaculator 268, 412
Footman moth, black 418
——, *common* 431
——, *dun* ib.
——, *feathered* 442
——, *four-spotted* 249, 399
——, *four-spot, small* 418
——, *four-spot, yellow* 431
——, *orange* 399
——, *straw-coloured* 431
Four-spotted moth 403
FORBICINA
polypoda 140, 360
Forbicine, *Geoff.*
cylindrique 140
Forceps, their use 308
Forester Sphinx 397
FORFICULA
auricularia 60, 216, 379
borealis 429
*gigantea 217
*minor 216
*neglecta ib.
Fork-barred m. 441
FORMICA
fusca 359
herculanea 69, 273, 359
nigra 359
rufa ib.
Formicadæ, (Fam.) 272
Formicariæ, *Latr.* ib.
Forskälian Tortrix 456
Forsterian Tortrix 407
Fox moth 398
Fringe, red 385
Fritillary, dark green 237, 416
—— *l.* 380
——, *Duke of Burgundy* 237, 380
——, *Glanville* 237, 396
—— *l.* 369
——, *greasy* 237, 380
—— *l.* 369
——, *Heath* 237
——, *high brown* 237, 416
——, *l.* 380
——, *pearly bord.* 237, 396
Fritillary, pearly border likeness 237, 380
——, *Queen of Spain* 237, 380, 416
——, *silver-washed* 237, 416
——, *l.* 380
Frons, *the Front* 30
Frosted orange m. 252, 402, 440
Fulgora, *Latr.* 230
Fumaria plumistrea 409
Furbelow, flame 432
GALATEA, *Fabricii* 93
rugosa 93
spinigera ib.
squamifera ib.
Galateadæ (Fam.) 92
Galathea Bamffia 93
longipeda ib.
rugosa ib.
spinigera ib.
squamifera ib.
strigosa ib.
Galea 28
GALERUCA
calmariensis 378
Caprææ ib.
Cratægi ib.
*nigricornis 212
Nymphææ 378
Tanaceti 212, 378
*testacea 212
Viburni 392
Galinsecta, *Latr.* 233
GALLERIA
alvearia 255, 436
cerea 436
Galls, how formed 67
Gammaridæ, (Fam.) 101
GAMMARUS
aquaticus 103
camptolops 104
Locusta ib.
marinus 103
*Pulex ib.
*rubricatus 104
Gammase des Coleoptères 131
Gammasidæ, (Fam.) ib.
GAMMASUS
coleoptratorum 131, 364
marginatus 364

Gasterophilus Equi, method of depositing its eggs 39
GASTEROPHILUS
Equi 302, 437
Hemorrhoidalis 437
veterinus 428
GASTROPACHA
Pinus 418
quercifolia 247, 418
—— *l.* 382
Cate-keeper, b. 240
GEBIA
Deltaura 94
Genera founded on a consideration of every character 45
—— of Linné 47
—— synoptical view of the 73
—— why given 45
—— of plants compared with Insects 46
——, Spence's observations on the necessity of new ib.
GEOMETRA
abbreviata 405
abietaria 363
Absinthiata 405
adustata 404, 434
advenaria 404
Æscularia 363
albicillata 404
albulata 434
Alchemillata 405
Alniaria 434
amataria 423
angularia 434
angustata 435
apriciaria 423
apteria 444
arenosaria 383
Atomaria 405
aversata 423, 441
badiata 371
berberata 405
biangulata 406
bidentaria 371, 404
bilineata 405
bimaculata 384
bipunctaria 424
brumaria 359, 443
GEOMETRA
cæsiata 360
candidulata 384
carbonaria 406
carpiniaria 441
Centaureata 405
centum-notata 348, 435
cervinata 371
Chærophyllata 406
Chenopodaria 404, 435
citraria 424
clathrata 384, 423
clavaria 442
comma-notata 384, 435
comitata 423
congeneraria 371
connectaria 442
consignata 423
consobrinaria 403
consonaria 384
consortaria 405
conversaria 433
costastrigata 423
costovata 384
Cratægaria 371, 406, 434
Crepuscularia 424
dealbata 404
decolorata 406
defoliaria 442
degenerata 434
dentistrigata 371
derivata 405
destrigaria 423
didymaria 423
dilutata 434, 443
dimidiata 434
ditaria 423
dolabraria 253, 403
dubitata 384, 435
duplicata 405
elatata 424
elinguaria 434
elongata 385
emarginata 423
ericetaria 441
erosaria 441
Euphorbiata 385
extensaria 424
fasciaria 404
favillaciaria 405
ferrugaria 383
fimbriata 434
flos-lactata 384
fluctuata 384
GEOMETRA
fuliginaria 404
fulvata 422
fumaria 371
fusco-undata 423
Galiata 405
gilvaria 433
glarearia 406
Grossulariata 424
hastata 404
heparata 405
hexapterata 406
illunaria 371
illustraria 383, 385, 406
imitaria 424
immanata ib.
immulata 423
implicaria 404
impluviata 405
inæquaria 406
incanata 434
incompletaria 444
inornata 423
insulata 371, 385
Juliaria 424
Juniperata 441
lactata 384
lævigata 435
leucophearia 360
Lichenaria 424
lignata 434
limbaria 423
linariata 406
linearia 404
lineolata 405
liturata 434
lividata 405
luctuaria 363
lunaria 253, 404
luteata 384
maculata ib.
margaritaria 422
marginata 385, 423
marmorata 424
miata 441
multistrigata 363
munitata 405
nassata ib.
nigricaria 360
notata 385
ocellaria 383, 435
ocellata 405, 434
olivaria 434
omicronaria 383, 435

GEOMETRA
orbicularia 404
osseata 405
paludata 424
pantaria ib.
Papilionaria 422
pendularia 383, 435
pennaria 445
perfuscata 384
petrata ib.
Pinaria 404
plagiata 441
plumbaria 404
plumbeolata 385
Populata 422
prasinaria 424
prænotata 384
primaria 359, 360
procellata 424
propugnata ib.
prosapiaria 442
Prunaria 403
prunata 434
psittacata 443
pullaria 434
pulveraria 404
punctaria 383, 435
punctata 405
punctularia 384
pusaria 383
pusillata 385
putataria 383
Pyraliata 405
quadrimaculata 371
quadrifasciaria 423
Quercinaria 434
remutata 441
repandaria 403
respersaria 404
rectangulata 406
retata 385
Rhamnata 384
rhomboidaria 422
rivulata 405
Roboraria 403
roseidaria 406
rotundaria 383
rubiadata 422
rubiginata 404, 434
rufata 384
rufifasciata 363
ruptata 406
rusticata 406
Salicaria 383
sambucaria 424
sexalisata 434
simulata 405, 441
singulariata 406
sinuata 422
spartiata 443
spinaciata 405
striaria 383
strictaria 363
strigilata 423
suberaria 403
subfulvata 434
subfuscata 385
sublactata 384
subsericeata 423
subtristata 385, 434
subroseata 423
succenturiata 423
suffumata 371
sylvata 384
sylvaticata 423
Syringaria 424
tersata 384
testata ib.
Thymiaria 404
Tiliaria 434
trepidaria 404
trigeminata 385
trigonata 434
trimaculata 406
ulmata 404
unangulata 424
undulata 406
unidentaria 404, 433
unifasciata 434
unilobata 405
V. atra 423
V. nigraria 424
varieta 422
Vauaria 404
venosata 405
vernaria 383
vetulata 406
viretata 371
viridaria 404
virgulata 423
vitalbata 384
Volutaria 424
vulgata 405
Geophilidæ (Fam.) 116
GEOPHILUS
acuminatus 116, 358
carpophagus 116, 428
electricus 372
longicornis 116, 358
maritimus 358
subterraneus 116, 358
Geotrupidæ (Fam.) 189
Geotrupini, *Latr.*
GEOTRUPES
niger 362
politus 362
puncticollis 362
stercorarius 189, 362
sylvaticus 368
vernalis 369
GERRIS
paludum 224, 369
*vagabundus 223
GIBBIUM
Scotias 180, 367
sulcatus 367
Gipsy Moth 247, 431
Glæa, *Hüb.* 252
Glasses, method of computing the magnifying power of convex 324
Glomeridæ (Fam.) 113
GLOMERIS
*borde 113
marginata 113, 358
Glossata, *Fabr.* 220
Glow-worm 55, 163
Gnaphosa, *Latr.* 123
Gnat 71
Goat Moth 246, 397
Gold Fringe 427
Gold Spangle 403
Gold spot Moth 250, 433
———, *l.* and *p.* 422
GOMPHOCERUS
rufus 219, 438
GOMPHUS
vulgatissimus 258, 410
GONEPTERYX
Rhamni 236, 395, 429
GONOPLAX
bispinosa 87
GONYPES
tipuloides 295, 428
Goose-egg Moth 254, 385, 435
GORTYNA, *Och.* 252
GORYTES
quinquecinctus 276

Gothic Moth 401
———, *feathered* 420
———, *bordered* 420
GRAPHIPHORA, *Hüb.* 251
Grass wave, m. larger 406
———, *lesser* 404
Grayling, b. 417
Grease from insects, method of removing 320
Green, black-sprigged 435, 441
———, *bordered* 407
———, *brindled* 370, 442
———, *frosted* 251, 370, 401
———, *marbled* 251, 401
———, *Pea* 425
———, *scaly* 435
———, *tri-coloured* 441
Green-shaded 407
Grey, blotch-backed 436
———, *bordered* 441
———, *brindled* 384
———, *early* 370
———, *mottled* 363, 436
———, *poplar* 382
———, *short-barred* 436
———, *smoky* 408
———, *yellow-stigmaed* 372
Gryllidæ (Fam.) 218
Gryllides, *Latr.* 217
GRYLLOTALPA
vulgaris 217, 369
Gryllus campestris 218
flavipes 5[illegible]
Gryllotalpa 217
rufus 219
subulatus 219
viridissimus 218
GRYPHUS, *Germ.* 204
Gula, *the Throat* 3[illegible]
GYMNOSOMA
rotundata 301, 488
Gyrinidæ (Fam.) 159
GYRINUS
æneus 368
elongatus 373
marinus ib.
minutus ib
*Modcrii 159
Natator 49, 159, 361
GYRINUS
villosus 159, 373
Gyrodroma, *Klug* 284
Habitats of Insects 347
HADENA, *Schrank* 251
HÆMATOPINUS
Suis 143
HÆMATOPOTA
pluvialis 293, 414, 428
Hair for the microscope 333
Hair-streak, black 241, 417
———, *l.* 417
———, *brown* 241, 433
———, *l.* 396
———, *green* 241, 381
———, *l.* 417
———, *purple* 241, 417
———, *l.* 396
HALIPLUS
assimilis 365
elevatus 157, 373
ferrugineus 157, 365
flavicollis ib.
impressus ib.
lineatocollis ib.
obliquus ib.
ruficollis ib.
Hallomenus micans 195
Halteres, *Poisers* 37, 349
HALTICA
æneo-fusca 379
ærata ib.
affinis ib.
atricilla ib.
aurata ib.
Brassicæ ib.
Centaureæ 378
concinna 379
cyanea ib.
Erucæ 392
exoleta 379
femoralis ib.
flexuosa ib.
fuscipes ib.
Helxines ib.
Hyoscyami ib.
Mercurialis 392
Modeeri 379
nemorum ib.
nigricollis ib.
nigro-ænea ib.
nitidula ib.
nodicornis ib.
HALTICA
ochroleuca 379
oleracea 212, 378
orbiculata ib.
picina 379
Pseudacori ib.
4-pustulata ib.
ruficornis ib.
rufipes ib.
semiænea ib.
striata ib.
suturalis ib.
tabida ib.
testacea 212, 379
transversa 379
Verbasci ib.
HARGIUM
Inquisitor 210, 392
HARPALUS
apricarius 361
aulicus 387
azureus 365
bicolor ib.
bizonatus ib.
erythropus ib.
ferrugineus ib.
Germanus 387
obscurus 361
*prasinus 151
ruficornis 149, 365
tibialis 387
Hamuli 349
Haustellum 29, 349
Hawk-moth, convolvulus 244, 438
———, *death's head* 244, 442
———, *l.* 433
———, *elephant* 64, 243, 396
———, *l.* 430
———, *scarce E.* 397
———, *small E.* 243, 381
———, *spotted E.* 244, 397
———, *scarce-spotted E.* 244
———, *Yellow-spotted E.* 430
———, *eyed* 243, 381
———, *l.* 430
———, *Humming-bird,* 244, 370, 397

Hawk-moth, humming-bird, l. 363
———, *Lime* 243, 381
———, *l.* 430
———, *p.* 359
———, *pine* 244, 397
———, *poplar* 243, 396, 430
———, *l.* 438
———, *privet* 244, 397
———, *l.* 431
———, *sharp-winged* 430
——, *silver-line* 243, 396
Hazel-moth, scolloped 371, 404
Hazel Tortrix 425
Head of Insects 21, 342
Heart and Club m. 402
——, *brindled* ib.
——, *brown* 251, 402
Heart and Dart m. 402
Heart-moth 383
Heath B, large 417
——, *l.* 396
——, *scarce* ib.
——, *small* 240, 396, 430, 438
——, *l.* 381
Heath-moth, black 406
common 405
latticed 384, 423
light 406
netted 385
yellow 406
Heaths, best time for collecting insects on 313
——— near London ib.
Hebrew character m. 370
setaceous 402
Hedges, insects how collected from 312
HEDYCHRUM
auratum 272, 412
regium 412
Hellus sexpunctatus 274
Heliocentis, *Hüb.* 252
Heliophila, *Hüb.* 251
Heliophila, *Klug* 287
HELIOTHIS, *Och.* 252
Helobium, *Leach* 152
HELODES
Phellandrii 213, 379
violacea 379
HELOPHILUS
pendulus 415
tenax 297, 387
Helophoridæ (Fam.) 185
HELOPHORUS
Fennicus 362
griseus ib.
nubilus 186, 362
stagnalis 186, 360
HELOPS
lanipes 194, 390
violaceus 362
Hemerobiadæ (Fam.) 260
Hemerobini, *Latr.* 260
Hemerobius, *Linn.* 66
HEMEROBIUS
affinis 410
Beckwithii ib.
decussatus ib.
irroratus ib.
lutescens ib.
nemoralis ib.
nervosus ib.
obscurus ib.
*Perla 260
Pini 410
punctatus ib.
variegatus 260, 410
Hemiptera, *Linne* 61, 217, 219
———, characters of the order 139
———, classification of the 220
———, method of arranging 322
———, method of preserving and setting 319
Henops, *Illig.* 296
Hepa, *Geof.* 225
HEPIALUS
Angulum 397
fuscus 381
Hectus 245, 397
Humuli ib. ib.
lupulinus 431
Mappa 245, 397
nebulosus 381
obliquus ib.
Herald-moth 371, 433
HERIADES
campanularum 428
truncorum 284
HERMINIA
achatalis 406
albistrigalis 424
angustalis ib.
barbalis 385, 424
Bombycalis 425
colonalis 407
crassalis 406
derivialis 407
dimidiatus 435
flamealis 406
nemoralis 407
obscuralis ib.
pinguinalis 424
proboscidalis 253, 406, 435
rostralis 406
Salicalis 407
socia ib.
tarsicrinalis ib.
vittalis 385, 406
HESPERIA
Comma 242, 430
Linea 242, 417
Malvæ 242, 381
Paniscus 243, 381
Sylvanus 242, 381, 417
Tages 242, 381
Hesperidæ (Fam.) 242
Hesperides, *Latr.* ib.
HETEROCERUS
marginatus 185, 367
Heteromera (Sect.) 192
Hetoropoda, *Latr.* 127
Highflyer M. July 424
——, *May* 405
——, *yellow-striped* 423
HIPPARCHIA
Ægeria 241, 369, 396, 430
——, *l.* 363, 381, 396
blandina 240, 396
Davus 396
Galathea 240, 417
Hyperanthus 240, 396
Janira ib. ib.
Megæra 240, 417, 430
———, *l.* 381, 430
Pamphilus 240, 396, 438
———, *l.* 381, 430
Pilosella 240, 396, 417
Polydama 396
Semele 241, 417

HIPPARCHIA
Typhon 396
HIPPARCHUS
papilionarius 253
prunatus ib.
HIPPOBOSCA
*avicularia 303
equina 72. 302, 415
*Hirundinis 303
*ovina ib.
*vespertilionis 304
Hippoboscidæ (Fam.) 302
HIPPOLYTE varians 97
Hispa mutica 53, 193
HISTER
æneus 389
2-maculatus ib.
*bipustulatus 184
cadaverinus 375
carbonarius 367
depressus 185
12-striatus 375
*flavicornis 184
neglectus 367
nitidulus 184, 389
parvus 134, 367
*picipes 184
*punctatus ib.
purpurascens 184, 367
*4-maculatus 184
4-notatus 367
*semipunctatus 49, 184
sinuatus 184, 367
speculifer 375
stercorarius 367
unicolor 184, 375
virescens 389
Histeridæ (Fam.) 183
Holly Tortrix, large 436
Holmian Tortrix ib.
Honey-moth ib.
Honey-comb Moth ib.
Hook, silver 252, 403
Hooktip M. beautiful 435
——, *bordered* 385
——, *oak* 425
——, *pebble* 254, 407
——, *scolloped* 254, 385, 441
Hook-tipped, great 407
HOPLIA
pulverulenta 191, 389
Hoplitus, *Clair.* 157
Hornet Sphinx 245
Hornet Sphinx, l. 381
——, *bee* 245
——, *lunar* 417, 442
Hornet Wasp 69, 280
Howard's observations on the pollen of plants 335
Huber's experiments on the antennæ of queen bees 23
Humming-bird H. M. 244, 397, 431, 438
———, *l.* 397
HYAS araneus 89
HYDATICUS
Hybneri 159, 388
stagnalis 388
transversalis 365
Hydrachna, *Fabr.* 157
HYDRACHNA
geographica 133, 364
Hydrachnadæ (Fam.) 133
HYDRÆNA
Kugellani 186, 375
HYDROBIUS
atricapillus 368
bipustulatus ib.
calconotus ib.
fulvus ib.
fuscipes 187, 367
griseus 368
marginellus ib.
melanocephalus 187, 368
minutus 368
orbicularis ib.
seminulus ib.
torquatus ib.
HYDROCHUS
brevis 375
cicindeloides 186
crenatus 375
elongatus 367
Hydrocorisiæ, *Latr.* 225
Hydrometidæ (Fam.) 224
HYDROMETRA
*paludum 224
*rivulorum ib.
stagnorum 224, 380
Hydrophilidæ (Fam.) 186
HYDROPHILUS
caraboides 58, 187, 360
*cicindeloides 186
*impressus ib.
HYDROPHILUS
*longipalpus 186
*nitidus 187
*piceus 58
*sordidus 186
*stagnalis ib.
HYDROPORUS
confluens 158, 361
depressus ib.
dorsalis 388
12-pustulatus 158, 361
flavipes 388
flexuosus 373
fluviatilis 365
granularis 361
humeralis 365
linnellus 361
lituratus 365
melanocephalus 388
planus 365
trifidus 361
unistriatus 365
HYDROUS
piceus 187, 359
Hygrobia, *Latr.* 157
HYLÆUS
annulatus 427
dilatatus ib.
florisomnus 284
quadri-cinctus 282
signatus 427
HYLESINUS
crenatus 206, 391
*Scolytus 206
varius 378
HYLOTOMA
*Angelicæ 264, 411
Berberidis 411
cærulea ib.
cærulescens ib.
enodis ib.
femoralis ib.
furcata 264
Klugii 411
pagana 411
pilicornis 264, 411
Rosæ 411
segmentaria ib.
Stephensii ib.
ustulata ib.
violacea ib.
HYLURGUS
ater 391

HYLURGUS
niger 391
obscurus ib.
Piniperda 205, 391
Hymenoptera, *Linné* 66
Hymenoptera, *Rossi* 288
———, character of the Order 193
———, classification of the 262
———, method of arranging 322
———, method of preserving 321
HYPERA, *Germar* 205
HYPHYDRUS
ovatus 157, 358
Hypogymna, *Hub.* 246
JÆRA
albifrons 110
JANIRA
maculosa ib.
Jansen, the first inventer of the microscope 323
January, Calendar for 358
——, employment for 314
Japan moths 249
Jaspidia, *Hub.* 250
JASSA
pulchella 105
IASSUS
interruptus 380
Lanio 231, 380
viridis 380
ICHNEUMON, *Linné* 67, 271
*Jaculator 268
Manifestator 68
Ichneumon manifestator, Mr. Marsham's observations on 25
Ichneumonidæ (Fam.) 268
Ichneumonides, *Latr.* 268
IDOTEA
*aquatica 110
*hectica 107
pelagica 106
Idoteadæ (Fam.) ib.
INACHUS
Dorsettensis 89
*Maja 90
*Scorpio ib.
Incomplete moth 444
Inflata, *Latr.* 296
Inflating caterpillars, method of 318
Ingrailed moth, large 363
——, *small* 424
INO
Statices 245, 397
Insecta Amctabolia 138, 140
Insecta Metabolia 138, 142
Insects, the most extensive of the animal kingdom 17
——, instructed by nature in disposing their eggs 38
——, economy of ib.
——, mould on, how removed 311
——, method of collecting 312
——, how found in moss 314
——, method of preserving 318
——, method of relaxing 321
——, exotic specimens, why rejected 322
——, method of arranging in a Cabinet ib.
——, nature's favourite productions 329
—— for the microscope ib.
——, Kirby, observations on the beauty of ib.
——, Swammerdam's method of dissecting 331
——, parts of for the microscope 332
Journal, use of a 323
Ips, *Oliv.* 208
IPS
*cellaris 169
ferruginea 374
*humeralis 169
*oblongus 208
*Piniperda 205
4-maculatus 374
IPS
4-pustulatus 170, 438
*Scolytus 206
*Typographe 205
*Typographus ib.
Iron, clouded 425
ISSUS
coleoptratus 230, 380
Julidæ (Fam.) 114
JULUS
*complanatus 115
Londinensis 358
niger ib.
*oniscoides 113
*polydesmoides 114
pulchellus 358
punctatus ib.
pusillus ib.
sabulosus 114, 358
terrestris 358
July, Calendar for 415
——, employment for 315
IXODES
Ricinus 132, 372
Ixodiadæ (Fam.) 132
Kentish Glory, m. 247, 370
——, *l.* 398
Kidney moth, double 251, 370
——, *l.* 402
Kirby's remarks on the antennæ of the long-horned bees 24
—— observations on forming a System 45
—— observations on the beauty of insects 329
Kitten moth 248, 418
——, *l.* 439
Knot-grass moth 383
——, *common* 250
——, *light* 400
——, *scarce* ib.
Knot-horn, dotted 407
——, *double-striped red* 427
——, *mealy* 410
LABIA
minor 216, 379
LABIDURA
gigantea 217, 393
Labrum 28
LACCOPHILUS
hyalinus 158, 361

LACCOPHILUS
minutus 158, 361
Lackey, barred tree 431
——, *l.* 398
——, *ground* 431
Lady Bird or 52, 215
Lady Cow 215
LAGREA
hirta 196, 375
LAMIA
ædilis 209, 391
hispida 392
minuta 369
nebulosa 209, 392
nubila 392
oculata 209, 392
pilosa 392
populnea 392
præusta ib.
scalaris ib.
Sutor 416
Textor 209, 392
Lamp for microscope, the best 326
LAMPRIAS
chlorocephala 155, 373
cyanocephala 155, 387
LAMPYRIS
noctiluca, 56, 163, 388
*pusilla 163
splendidula 56
Lanes, insects how collected in 312
Laothöe, *Fabr.* 243
LAPHRIA 294
Lappet moth 247, 418
——, *l.* 382
——, *Pine* 418
LARIA
fascelina 247, 418
——, *l.* 382
pudibunda 247, 398
LARRA
ichneumoniformis 277, 413
Larradæ, (Fam.) 276
Larratæ, *Latr.* 276
LARUNDA, Ceti 106
Larva, or Caterpillar 40, 349
LASIOCAMPA
castrensa 431
Cratægi *l.* 382, 438
LASIOCAMPA
neustria 398, 431
Quercus 247, 418
——, *l.* 398
Rubi 398
Trifolii 247, 382
Lasis pilipes 287
Lasius, *Fabr.* 275
Latreille's opinion on the use of the antennæ 26
LATRIDIUS
impressus 369, 429
*minutus 207
nigricollis 429
porcatus 207, 362
ruficollis 369, 429
rugicollis 369
transversus 369, 429
LATHROBIUM
dentatum 366
elongatum 172, 366
quadratum 366
Leach's Genera founded on a consideration of every character 45
Lead Tortrix, clouded 360
LEBIA
*atricapilla 156
Crux-minor 155, 387, 429
*4-maculata 155
Lechean Tortrix 407
LEDRA
aurata 231, 394
Leeuwenhoek's observations on the eyes of the Libellula 21
Legs, *Pedes* 33
Lehmann's experiments on the antennæ of insects 23
LEIOIDES
humeralis 389
picea 194, 389
polita 389
ruficollis 390
LEISTUS
brunneus 364
cæruleus 147, 373, 438
Raulinsii 373, 438
rufescens 364
Lema merdigera 211
Lemur, *Hiib.* 251
Leopard moth, wood 246, 418
Lepidoptera, *Linn.* 64
Lepidoptera, character of the order 139
——, classification of the order 234
——, method of mothing for 315
——, method of preserving and setting 319
——, method of arranging 322
LEPISMA
*polypoda 140
saccharina 140, 364
Lepismadæ, (Fam.) 140
Leptis, *Fabr.* 293
Leptoceridæ, (Fam.) 256
LEPTOCERUS
interruptus 256, 386
Leptogaster, *Meig.* 295
Leptosoma, *Leach* 202
LEPTURA
affinis 392
apicalis 416
attenuata 392
aurulenta ib.
collaris ib.
elongata 210, 392
femorata 392
*Inquisitor, *Linn.* 211
*——, *Latr.* 210
lævis 392
livida ib.
melanura ib.
meridiana ib.
*micans 211
nigra 392
Nymphæa 55
quadrifasciata 55, 210, 411
revestita 392
rufiventris ib.
sanguinolenta ib.
sexguttata ib.
6-maculata ib.
*simplex 211
Lepturadæ, (Fam.) 210
LEPYRUS, *Germ.* 204

LESTES
autumnalis 259, 437
sponsa 410
LESTIVA
caraboides 367
obscura 361
punctulata 175
Letter I moth 432
Letter, red 372
LEUCANIA, *Och.* 251
Leucosiadæ, (Fam.) 91
LEUCOTHOE
articulosa 103
LIBELLULA
*Boltonii 258
conspurcata 386
cancellata 410
depressa 257, 386
Donovani 427
*forcipata 258
*grandis ib.
4-maculata 65, 386
scotica 410
vulgata ib.
*vulgatissima 258
Libellula, number of eyes in the 21
Libellulidæ, (Fam.) 257
Libellulinæ, *Latr.* ib.
Light for the microscope 326
LIGIA
oceanica 111
*Scopulorum ib.
Ligiadæ, (Fam.) ib.
Ligula 28
LIMENITIS
Camilla 240, 396, 417
LIMNEBIUS
mollis 368
nigrinus ib.
nitidus 187, 368
LIMNEPHILUS
echinatus 386
griseus ib.
nervosus ib.
radiatus ib.
rhombicus 257, 386
Striola 386
LIMNIUS
Volkmari 185, 375
LIMNOCHARES
holoscricea 133, 327
LIMNORIA
terebrans 109
Limonia, *Meig.* 291
Line moth, double 251
Lingua, *the Tongue* 29, 349
Linnean System of animals 23
—— System of Entomology not original 43
—— System, observations on the ib.
Linné's Order of Insects 44
Linnean Genera, synoptical view of the 73
Lip, upper 28
LIPARIS
dispar 240, 431
Monacha 240, 397, 431
——, *l.* 397
LIPARUS
Ægidii 391
Anglicanus 377
asper 369
Coryli 377
elevatus ib.
Germanus 203, 391
Ligustici 377
maritimus 391
maurus ib.
niger 377
obesus ib.
ovatus ib.
piceus 391
pilosulus ib.
punctatus 377
raucus ib.
scabriculus 391
scabrosus 377
setosus 391
sexstriatus 369
squamiger ib.
subglobosus 377
subrotundus 391
sulcatus 377
Vastator 369
Vau 377
Liris, *Fabr.* 276
LITHOBIUS
forficatus 115, 358
variegatus 358
vulgaris ib.
Lithodiadæ, (Fam.) 90
LITHODES
*arctica 90
Maja 90
LITHOSIA
aurantia 399
complana 249, 431
eborina 418
flava 431
grammicus 442
griseola 431
irrorea 418
lunerella 431
pulchella 439
quadra 249, 399
rubricollis 418
LIVIA
Juncorum 232, 394
LIXUS
paraplecticus 202, 416
productus 429
Lizards, scales of, for the microscope 333
Lobster, common 95
Lobster moth 247, 398
——, *l.* 431
LOCUSTA
flavipes 429
migratoria 218
*viridissima ib.
Locusteriæ, *Latr.* 218
Locustidæ, (Fam.) 218
Loeflingian Tortrix 374
Logian Tortrix 407
LOMECHUSA
dentata 177, 375
emarginata ib. ib.
Long-Cloak Tortrix,
——, *birch* 436
——, *common* 408
——, *lesser* 407
——, *marbled* 385
Long-horned 436
Looper, drab 385
LOPHYRUS
Pini 267, 412
rufus 412
LORICERA
ænea 150, 365
Louse, body 143
——, *crab* ib.
——, *head* 143
——, *pigs* 111
——, *wood* ib.
Lover's Knot 421

LOXOCERA
Ichneumonia 299, 415
Lucanidæ (Fam.) 192
Lucanides, *Latr.* ib.
LUCANUS
Cervus 192, 389
*cylindricus 191
parallelipipedus 48
Lundian Tortrix 407
LUPERUS
*cisteloides 168
flavipes 212, 378
rufipes 378
Lutestring moth, lesser 402
——, *Poplar* ib.
LYCÆNA
Adonis 241, 381, 430
Alsus 242, 381, 417
Argiolus 242, 381, 430
Argus 242, 417
——, *l.* 370
Arion 417
Artaxerxes 242, 417
Chryseis 241, 430
Corydon 241, 417
Cymon 242, 381, 417
dispar 241, 417
Dorylus 242, 381, 417, 430
——, *l.* 370
Idas 242, 381, 417
——, *l.* 370, 396
Phlæas 241, 370, 396, 430
Virgaureæ 241, 430
Lychnis moth 401
LYCOPERDINA
Bovistæ 216, 369
*immaculata 216
LYCOSA
saccata 129, 415
LYCTUS
*canaliculatus 208
*histeroides 206
*Juglandis 207
oblongus 208, 369
LYCUS
minutus 163, 388
LYDA
Betulæ 267, 412
erythrocephala 267, 412
nemorum 412
LYGÆUS
apterus 222, 416
LYGÆUS
Hyoscyami 394
micropterus ib.
nugax ib.
LYROPS
tricolor 277, 413
Lytta fusca 197
vesicatoia 59, 198
Machilis polypoda 140
Macrocephalus latiros-tris 199
scabrosus 200
Macrochira, *Meig.* 300
Macroglossa, *Och.* 244
MACROGLOSSUM
Stellatarum 244, 370, 438
—— *l.* 363, 397, 451
MACROPLEA, *Hoff.* 211
MACROPODIA
Phalangium 91
*longirostris 91
Macropodiadæ, (Fam.) 90
Macropus ib.
longirostris 91
Scorpio 90
Macroura, (Order) 91
MÆRA
grossimana 103
MAGDALIS, *Germ.* 204
Magpie moth, common 253, 424
——, *scarce* 253, 404
——, *small* 426
Mahogany, the 251, 370
Maiden's Blush m. 383, 435
MAJA
*Scorpio 90
Squinado 89
*tetraodon 88
*vulgaris 90
Maiadæ, (Fam.) 88
MALACHIUS
æneus 165, 374
biguttatus 374
fasciatus 388
ruficollis ib.
sanguinolentus ib.
Malacostraca, character of the 78, 82
Mallow-moth 442
——, *small* 404, 435
MALTHINUS
flavus 164, 374
MALTHINUS
humeralis 374
immunis 374
MAMESTRIA, *Och.* 251
Mandibulæ, *Mandibles* 28
Maniola, *Schrank* 240
Mantle moth, royal 422
Maple Tortrix 407
Marble Tortrix, barred 425
——, *hooked* 407
——, *retuse* 425
Marbled B. 240
Marbled Tortrix, large 425
March moth 363
March, Calandar for 360
——, employment for 314
Marsham's observations on the Ichneumon Manifestator 25
Marshes near London 313
Marvel du Jour m. 370, 442
——, *scarce* 383
Materials of insects, an object of traffic 19
Maxillæ 28, 350
May, Calendar for 372
——, employment for 315
Meadows, insects found in 313
Meal moth 427
Meal worms 59
Megachile, *Latr.* 284
MEGACHILE
centuncularis 285, 437
circumcincta 386
ligniseca 442
maritima 428
Willughbiella 428
MEGALOPA 100
Megaloptera, *Latr.* 261
MEGATOMA
*nigra 182
*picea 195
*undulata 182
undatum 182, 362
Megilla, *Fabr.* 283
pilipes 287
rotundata ib.
Melalopha, *Hiib.* 247
MELANDRYA
caraboides 195, 362, 375
*serrata 195

MELASIS
flabellicornis 160, 415
MELECTA
punctata 286, 364
MELITA
palmata 103
MELITÆA
Artemis 237, 380
—— *l.* 369
Cinxia 237, 396
—— *l.* 369
Dictynna 237, 380
Euphrosyne 237, 396
Lucina 237, 380
Silene 237, 416
Melitta * a. *Kirby* 280
** a. *Kirby* 282
** b. *Kirby* ib.
** c. *Kirby* 281
Melitta nigro-ænea ib.
tricincta 282
succincta 280
Swammerdamella 281
Mellinus, *Fabr.* 276
MELLINUS
mystaceus 278, 413
MELOE
autumnalis 438
brevicollis 369
cicatrosus 376
glabratus 438
*monoceros 196
proscarabæus 60, 369
tectus 390
variegatus 376
*vesicatorius 198
violaceus 369
MELOLONTHA
brunneus 375
*Frischii 191
Fullo 389
solstitialis ib.
vulgaris 191, 375
Melolonthidæ,(Fam.) 189
MELOPHAGUS
ovinus 303, 387
Melophila, *Nitz.* 303
Melyandryadæ, (Fam.) 195
Melyridæ, (Fam.) 164
Melyris ater 164
MEMBRACIS
cornutus 231, 394
MEMBRACIS
Genistæ 438
MESSA
hortulana 264, 411
Metamorphosis of Insects 350
Method of collecting Insects 312
Metopius, *Panz.* 269
MEZIUM, *Leach* 180
Microdon, *Meig.* 297
MICROPEPLUS
porcatus 171, 374
staphylinoides 374
Microscope, aquatic Insects for the, how obtained 313
———, history of the 323
———, directions for the ib.
———, method of using 326
———s, Swammerdam's 331
———, parts of Insects for the 332
MILESIA
annulata 298, 415
*conopsea 297
pipiens 387
Millipede
Miller moth 383, 439
Minerals defined 20
——— for the microscope 337
Minor, moth cloaked 420
———, *flounced* ib.
———, *least* 433
———, *marbled* 420
———, *middle-barred* ib
———, *plain red* 439
———, *rosy* 420
———, *tawny-marbled* ib.
Minute Insects, how secured 309
MIRIS
vagans 222, 394
MISELIA, *Hüb.* 251
Miscus, *Jurine* 275
Misumena, *Latr.* 127
Mitte, aquatique, sa. tinée 133
à rebord 132
Mitte de la gule 133
vegetative ib.
Mitterbachian Tortrix 407
Mocha moth 383, 435
——, *birch* 383, 435
——, *dingy* 404
——, *false* 383, 435
MOCHLUS
cellarius 299, 387
MOLORCHUS
dimidiatus 392
major 210, 392
*Umbellatarum 210
Mollusca, anatomical character of the 75
Monoculus 80
conchaceus ib.
Pulex ib.
quadricornis 81
rostratus 100
MONOTOMA
Juglandis 207, 359
MORDELLA
abdominalis 376
aculeata 197, 376
bicolor 376
*Boleti 195
fasciata 60, 197, 390
ferruginea 376
*frontalis 197
*paradoxa ib.
*picea 168
Mordelladæ, (Fam.) 197
Mordellanæ, *Latr.* ib.
MORMO, *Och.* 251
Morpion, *Geoff.* 142
Moss, Insects how found in 314
Mothing, method of 315
Mother-of-pearl 426
Mould on Insects, how removed 311
Mountain moth, black 404
Mourner, rustic 433
Mouse moth 251, 439
Mouth of Insects 27
Mulio, *Schell.* 299
Mullein moth 382, 419
MUSCA
*arcuata 297
Cæsar 387
domestica 372
*hemiptera 300
*inanis 71

MUSCA
Meridiana 387
vomitoria 300, 372
Muscidæ, (Fam.) 299
Muscides, *Latr.* ib.
———, I. *Latr.* 301
Muslin m. 248, 382, 432
——, *brown* 399
——, *round-winged* 418
Musquetoe 71
MUTILLA
Europæa 70, 273, 412
Mutilladæ 273
Mutillariæ, *Latr.* 273
Mycetophagidæ, (Fam.) 207
MYCETOPHAGUS
atomarius 429
multipunctatus 416
quadripustulatus 207, 391
rufus 429
similis ib.
undulatus 442
varius 362
Mydasidæ, (Fam.) 294
Mydasii, *Latr.* ib.
Mylabris, *Schæff.* 198
———, *Geoff.* 200
MYODOCHA
tipuloides 223, 394, 438
MYOPA
dorsalis 298, 387
picta 415
Myriapoda, (Class) 112
———, method of preserving 317
MYRMOSA
melanocephala 273, 412
MYCTERUS
curculionides 199, 390
*griseus 199
MYLÆCHUS
brunneus 169, 366
MYTHIMNA, *Och.* 251
MYSIS
*bipes 100
integra ib.
spinulosa 99
NÆSA
bidentata 108
NAUCORIS
cimicoides 225, 362
NEBALIA, Herbstii 100
Nebaliadæ, (Fam.) 100
NEBRIA
brevicollis 147, 361
complanata 146, 373
Gyllenhali 147, 364
livida 147
NECROBIA
ruficollis 166, 374
rufipes 443
violacea 374
NECRODES
littoralis 166, 374
NECROPHAGUS
Anglicanus 374
Germanicus ib.
humator ib.
mortuorum 361
spinipes 166, 374
Vespillo ib. ib.
vestigator 365
Necydalis cœrulea 55, 198
major 210
Neides tipularius 222
Nemophora, *Hoff.* 249
Nemapogon, *Schran.* ib.
NEMATUS
lucidus 266, 412
luteus ib. ib.
niger ib. ib.
*Septentrionalis 266
NEMOTELUS
uliginosus 292, 387
NEPA
cinerea 61, 225, 359
*linearis 225
Nepadæ, (Fam.) ib.
NEPHROPS
Norvegicus 96
Net 307
Net, hoop 308
Nettletap Tortrix, Autumn 442
——, *early* 364
——, *Millers* 441
Nettle Tortrix, barred 385
Neuroptera, *Linné* 65
———, character of the Order 139
———, classification of the 257
———, method of preserving 321
———, method of arranging 322
Nirmidæ, (Fam.) 142
Nirmomyia, *Nitz.* 302
NIRMUS
Cornicis 143
NITIDULA
ænea 374
bipustulata 170, 374
Boleti 389
10-guttata ib.
depressa ib.
discoidea 51, 170
erytbropa 374
fulva 389
grisea 389, 443
marginata 389
nigrina 374
obscura 389
obsoleta ib.
rufipes 374
Urticæ ib.
NOCTUA
Absinthii 252, 419
Aceris 400
Achates ib.
Advena 400, 419
ænea 433
æthiops 401
affinis 252, 422
albilinea 403, 421
albirena 399
Alni 400
angulago 421
angusta 370
approximans 441
Aprilina 370, 442
Arbuti 383
arcuosa 403
argentina 419
Artemisiæ 252
Arundinis 251
Asclepiades 252, 422
Asteris 419
atomina 400, 419
Atriplicis 251, 401, 439
Augur 251, 421
aurago 433
auricoma 400
auricula 433
baja ib.
basilinea 251, 401
Batis 250, 251, 402, 422
bilinea 402
biloba 420
bimaculata 376

NOCTUA
blanda 420
bractea 403
Brassicæ 400, 419, 432
brunnea 433
C. nigrum 402
camelina 250
capsincola 401
catænata 402
catæna 439
centrago 402
Cerasi 371
chamomillæ 419
Chenopodii 251, 401
Chi 251, 432
chrysites 250, 403
circumflexa 403
citrago 433
citrina 421
clavigera 402
combusta 399
comma 251, 399
compta 251, 400
conigera 421
conjuga 422
connexa 402
conspicillaris 382
contigua 401
coronula 400
crassa 433
crassicornis 399
croceago 252, 360, 370, 402
cubicularis 401
cucubali 251, 420
cypriaca 421
cytherea 382, 432
Delphinii 402, 422
Dens-canis 419
denticulata 401
dentina ib.
derasa 251, 433
diffinis 252, 433
diluta 402
dipsacea 252, 422
dives 400
duplaris 403
duplex 400
egens 420
epomidion 419
Ericæ 421
erythrocephala ib.
erythrostigma 440
Euphorbiæ 400

NOCTUA
Exclamationis 402
exoleta 252, 382, 419, 442
fasciuncula 420
ferrea 440
ferruginago 383
festiva 421
festucæ 250, 422, 433
fimbria 250, 399, 432
fissina 370
flavago 252, 440
flavicornis 402
flavilinea 444
flavocincta 251, 439
fluctuosa 402
Fraxini 422
fulvago 440
fuliginosa 419
fumosa 421
furca 432
fusca 420, 403
fuscata 370
Gamma 383
geminata 370
geminipunctata 439
gilvago 440
glauca 401
glyphica 403
gothica 370
gracilis 422
graminis 421
grandis 400
grisea 421
helvola 440
hepatica 252, 419
humeralis 420
I. niger 432
janthia 250
janthina 432
illustris 403
infuscata 400
interjecta 399
interrogationis 403
Iota ib.
juncta 371
Lactucæ 419
Lambda 442
latruncula 420
lævis ib.
lenticornis 363
leporina 383, 439
leucostigma 401
libatrix 371, 433
lichenis 251, 401

NOCTUA
Ligustri 250, 400
lineola 440
lineolata 421
literosa 420
lithoxylea 419
litura 440
Lota ib.
Lucifuga 419
lucipara 401
luctuosa 403
lugens 433
lunato-strigata 432
lunina 420
lunosa 440
lusoria 433
Luteago 252
macilenta 446
margaritosa 439
majuscula 440
margaritaria 422
marginago 421
marginosa 420
maura 251, 403
megacephala 382
Menyanthidis 400
meticulosa 250, 383, 402, 440
Mi 252, 403
minima 433
miniosa 363
monilea 420
Morpheus 251
Myrtilli 252, 399, 418
nana 371
nebulosa 370
nervosa 432
nigra 401
nigricans 421
nigricornuta 402
notha 252, 363
nupta 250, 433
obeliscata 421
obsoletissima 420
occulata 419
ochracea 401
ochraceago 402, 440
oculea 433
oleracea 383
operosa 370
orbona 250, 432
orichalcea 403
oxyacanthæ 401, 439
pallens 419

NOCTUA
pallida 371
palpina 250
Papilionaria 422
Parthenias 252, 363
pectinata 402
perla 251, 432
Persicariæ 400
phæa 420
picea 421
Pinastri 252, 399
Pisi 250, 251, 401
—— *l.* 383
pistacina 440
plebeia 401
plecta 402, 440
polita 4 40
polyodon 400
popularis 420
præcox 251, 383, 432
præduncula 420
promissa 422
pronuba 250, 399
Psi 250, 400
Pteridis 251
punctina 419
puniicea 421
pupillata ib.
pusilla 363
putris 252, 399
pygmina 432
Pyralina 433
pyramidea 432
radia 433
Ranunculina 419
rava 432
rectilinea 400
redacta 420
renago 383
retusa 251, 402, 422
rhomboidaria 422
ridens 251, 370, 401
rufa 363
rufescens 419
rufuncula 439
Rumicis 250, 383
runica 383
Ruris 251, 421
Rutilago 252
sagittifera 421
satellitia 252, 440
satura 400
Scolopacina 419
scripta 401
NOCTUA
scrophularia 252, 370
—— *l.* 399
secalina 401
Segetum 251
seladonia 370, 442
semi-brunnea 419
semifuscans 441
serena 400
Sepii 420
Sigma 433
similis 400
sordida 420, 421
spadicea 440
sparsa 370
sphærulatina 440
spinifera 401
spinula 402
sponsa 250, 422
straminea 422
strigilis 420
subatrata 402
subfusca ib.
subnigra 440
subplumbea 371
subrufa 421
subsequa 432
subsetacea 370
subtusa 251, 422
suffusa 401
sulphurea 403
Tanaceti 250, 419
terminalis 420
tetra 251, 370, 399
tetragona 432
Tragopogonus 251, 433
trapetzina 433
tridens 400
trilinea 402, 440
triplacea 252, 422
triquetra 252
turca 251, 422
Typhæ 251, 432
typica 401
Umbraticæ 252, 418
umbrosa 433
unca 403, 432
Upsilon 420
Vaccinii 252, 440
valligera 421
Verbasci 250, 382, 419
venosa 402, 440
X notata 432
Xanthographa 420
Noctuadæ, (Fam.) 250
Noctuælites, *Latr.* ib.
Noctuo-Bombycites, *Latr.* 248
Nocturna, (Sect.) 245
NOLA
palliolatis 254
NOMADA
alternata 386
Capreæ ib.
connexa 413
cornigera ib.
Fabriciella ib.
ferruginata ib
flava 428
flavo-gutta 413
flavopicta 442
Goodeniana 386
Hillana 428
Jacobææ 437
Lathburiana 428
leucophthalma 386
lineola 437
Marshamella 386
picta 442
quadrinotata 428
ruficornis 286, 428
rufiventris 428
rufo-cincta 413
rufo-picta 428
Schæfferella 413
schrostoma 428
sex-cincta 413
Sheppardana ib.
Solidaginis 442
varia ib.
Xanthosticta 428
NONAGRIA, *Och.* 251
Nonpareil 422
NOTASPIS
humeralis 132, 364
Notchwing Tortrix, chequered 435
——, *common* ib.
——, *iron* ib.
——, *shallow* ib.
NOTERUS
Geerii 158, 365
sparsus 158, 359
NOTHIOPHILUS
aquaticus 146, 358
biguttatus 358

NOTODONTA
Camelina 382, 431
—— *l.* 382, 439
euculla 413
Dromedaria 247
—— *l.* 439
dromedarulus 398
palpina 398, 439
—— *l.* 332, 439
perfuscus 398
trepida 247, 398, 431
—— *l.* 439
Tritopus 247, 418
—— *l.* 439
Ziczac 247, 382, 418
—— *l.* 431
NOTONECTA
*cinerea 227
furcata 226, 359
glauca 227, 359
maculata 226, 362
*minutissima 61, 227
*striata 228
Notonectidæ, (Fam.) 226
NOTOXUS
*mollis 166
monoceros 54, 196, 376
November, Calendar for 443
———, employment for 316
November moth 443
——, *bordered* 434
—— *Dagger* 443
Nudaria, *Haw.*
fusca 399
munda 432
rotunda 418
Nutmeg moth 251, 401
large 401
Nut-tree, curious experiments on the pollen of the 335
NYCTERIBIA
Hermanni 304, 387
Nycteribidæ, (Fam.) 303
Nymphala, *Schrank.* 255
Nymphalis, *Latr.* 239
Nymphon, *Fabr.* 306
Nymphonidæ, (Fam.) 306
NYMPHUM
gracile 306
Oak moth, scalloped 434
Object of comparative anatomy 74
——— of system ib.
Objects for the microscope
Acari 130, 333
Animalcula 334
Arachnoïda 118, 333
Birds, feathers of 333
Blood ib.
Bones calcined ib
Camphor, crystals of 337
Corals 334
Crustacea 78, 333
Crystals, method of obtaining 337
Crystals ib.
Eels in paste 334
Fish, scales of 333
Hair ib.
Infusions of pepper 334
Insects 329
Living objects ib.
Lizards, scales of 333
Minerals 337
Moss 335
Opaque objects 328
Pollen of plants 335
Pores of the skin 333
Sand 337
Shells 333
Seeds of plant 335
Silver, crystals of 337
Snakes, scales of 333
Transparent objects 328
Vegetable infusions 334
Zoophytes ib.
OBISIUM
maritimum 358
Muscorum ib.
orthodaetylum ib.
trombidioides 119
Oblique Bar, common 407
——, *dark* 425
Oblique striped 405
Observations on the Linnean System 43
——— on the Systems of Entomology ib.
Ocelli 350
OCHTHEBIUS
marinus 375
pygmæus ib.
OCHTHEBIUS
riparius 186, 375
OCHTHERA
Mantis 300, 415
October, employment for 316
———, calendar for 442
Oculi 350
Ocydromus 148
OCYPETE
rubra 131, 428
Ocypoda angulata 87
Ocypodaidæ, (Fam.) 86
Ocyptera, *Latr.* 301
OCYPTERYX
Brassicaria 415
larvarum ib.
lateralis 301
Mortuorum 428
puparum 415
ODACANTHA
melanura 156, 387
ODENESIS
potatoria 247, 418
—— *l.* 398
Odonata, *Fabr.* 257
ODONTEUS
mobilicornis 189, 389
ODONTOCERUS
griseus 257, 386
ODONTOMYIA
furcata 292, 414
hydroleon 414
microleon 387
tigrina ib.
vulpina 414
ODYNERUS
parietinus 279, 413
ŒDEMERA
cærulea 198, 390
lurida 390
nigripes ib.
Podagrariæ ib.
ruficollis ib.
viridissima ib.
Œdemiradæ, (Fam.) 198
Œdemerites, *Latr.* ib.
Œconomy of insects 38
Œstridæ. (Fam.) 301
ŒSTRUS
Bovis 302, 437
*Equi 302
Ovis 70, 301, 415

OGCODES
gibbosus 296, 414
OICEOPTOMA
sinuata 167, 374
thoracica ib. ib.
rugosa 374
Oletere difforme 122
Oligotrophus, *Latr.* 291
Olive moth 251, 422
OMALIUM
depressum 175, 367
grossum 375
melanocephalum 175, 375
planum 360
rivulare 174, 361
striatum 175, 375
Omaloptera, characters of the order 139
———, classification of the order 302
Omoptera, characters of the order 139
———, classification of the order 229
Oniscidæ, (Fam.) 111
ONISCUS
*albifrons 110
*aquaticus ib.
*Armadillo 112
asellus 111, 112, 358
*bidentatus 108
*ceti 106
*Globator 108
*gracilis 107
*hirsutus ib.
*linearis ib.
*Locusta 102
*maculosus 110
*marginatus 113
*murarius 111
*muscorum ib.
*oceanus ib.
*sylvestris ib.
*truncatus 108
ONTHOPHAGUS
Cœnobita 375
Dillwynii 368
nuchicornis ib.
nutans ib.
ovatus ib.
Vacca 188, 368
verticornis 368
Xiphias ib.
ONTHOPHILUS
striatus 184, 367, 389
sulcatus 389
OODES
helopoides 150, 365
OPATRUM
*agaricola 194
sabulosum 51, 193, 375
tibiale 362
Ophion, *Fabr.* 269
OPILIO
Histrix 120
OPILUS
mollis 166, 365, 388, 443
Orange moth 403
Orange-spot, double 408
Orange-tip B. 236, 380
Orange Underwing m. 252, 363
——, *light* ib. ib.
Orange Upperwing 252, 360, 370, 402
ORCHESIA
micans 195, 390
ORCHESTES
Alni 203, 378
atricapillus 378
Avellanæ ib.
depressus ib.
ferrugineus ib.
nigricollis ib.
pilosus ib.
rhododactylus ib.
rufus ib.
salicis ib.
ORCHESTIA
littorea 102
Orgya, *Och.* 246
ORIBITA
geniculata 131, 364
*humeralis 132
Orneodes, *Latr.* 256
ORNITHOMYIA
avicularia 303, 437
viridis 428
Orthocerus hirticornis 193
muticus 53
Orthoptera, *Lamarck*, 216
———, *Latr.* 216, 219
———, characters of the order 139
———, classification of the order 217
Orthoptera, method of preserving and setting 319
Orthoptera, method of arranging 322
ORYSSUS
coronatus 268, 427
Vespertilio 268
Os, *the mouth* 27, 350
OSMIA
bicolor 428
cærulescens ib.
cornuta 285, 364
Leaiana 437
leucomelana 428
spinulosa 437
Tunetsis 428
OSMYLUS
maculatus 260, 410
Ostoma, *Laich.* 169
OURAPTERYX
Sambucaria 253
Oxybelus, *Fabr.* 276
OXYBELUS
uniglumis 277, 413
OXYCERA
Hydroleon 292, 387
trilineata 387
OXYPORUS
*chrysomelinus 176
*rufipes ib.
rufus 174, 375
OXYPTERUM
Kirbyanum 303
OXYTELUS
angustatus 367
armatus 174, 367
carinatus 174, 361
opacus 367
rugosus 174
scaber ib.
Pæcilla, *Schrank* 250
PÆDERUS
angustatus 367
*elongatus 172
immunis 366
melanocephalus ib.
orbiculatus 173, 366
riparius ib. ib.
PÆLOBIUS
Hermanni 157. 438
PACHYGASTER, *Germ.* 204
Pachygaster, *Meig.* 292
Paguridæ, (Fam.) 91

PAGURUS
*araneiformis 92
streblonyx ib.
Painted lady B. 238, 416
—— *l.* ib.
PALÆMON
serratus 98, 99
*squilla 98
Palæmonidæ, (Fam.) 96
Palinuridæ, (Fam.) 92
PALINURUS
vulgaris ib.
Palpatores, *Latr.* 179
Palpi 29, 351
Pamphilus, *Latr.* 267
PANAGÆUS
Crux-major 147, 361, 373, 415
PANDALUS
annulicornis 97
PANDARUS
bicolor 79
Panope Ceti 106
PANORPA
affinis 410
communis 66, 260, 386
germanica 410
hyemalis 444
Panorpatæ 260
Panorpidæ, (Fam.) 260
PANURGUS
Banksianus 283
Linneella 442
ursina ib.
Panther moth 424
PAPILIO
*Hypothöe 241
Machaon 64, 235, 380, 416, 429
—— *l.* 438
Podalirius 235
Papilionidæ, (Fam.) 234
Papilionides, *Latr.* ib.
Parnidæ, (Fam.) 185
PARNUS
prolifericornis 185, 367
sericeus 185, 360
Parts of insects 21
Peach blossom moth 250, 251, 402, 422
Pease blossom 402, 422
Peacock B. 238, 363, 416
—— *l.* 416
—— *moth* 385
Peacock, sharp-angled 384
Pearl-bordered 426
——, *cinereous* 408
——, *dingy* 426
——, *lesser* ib.
——, *long-winged* ib.
——, *narrow-winged* ib.
——, *scarce* ib.
Pearly Underwing 439, 440
Pebble, chequered 441
——, *garden* 426
Pectus 31
Pedes, *the legs* 33, 352
PEDICIA
rivosa 291, 387, 437
Pediculidæ, (Fam.) 142
Pediculus, *Geoff.* 261
PEDICULUS
cervicalis 143
humanus 142, 143
*inguinalis 142
*pubis ib.
*suis 143
PEDINUS
maritimus 192, 362
Pelastes, *Illig.* 269
Peltis, *Kugel.* 169
PEMPHEDRON
unicolor 278, 413
PENÆUS
trisulcatus 97
Pentamera, (Sect.) 143
PENTATOMA
bidens 221
prasinus ib.
Pentatomidæ, (Fam.) 220
PENTHROPHERA, *Germ.* 247
Pepper, infusions of, for the microscope 334
Peppered moth 253, 403
Pepsis flavipennis 275
PETROBIUS
maritimus 141, 375
PHALACRUS
æneus 429
bicolor 214, 429
caricis 429
consimilis ib.
coruscus ib.
corticalis ib.
geminus ib.
millefolii ib.
Phalæna, *Geoff.* 233
PHALÆNA
*Cossus, *Linn.* 246
margaritaria 252
*Quercus 65
Phalænidæ, (Fam.) 252
Phalænites, *Latr.* ib.
Phalangidæ, (Fam.) 119
PHALANGIUM
*cornutum 120
Opilio 120, 428
PHALERIA
cadaverina 194, 389
PHASIA
variabilis 300, 415
PHERUSA
Fucicola 104
Phial, a, useful when collecting small insects 308
Philanthus quadricinctus 279
PHILOSCIA
muscorum 111, 358
Phœnix moth 434
PHOLCUS
phalangioides 126
PHOSPHUGA
atrata 167, 365, 443
subrotundata 167, 388
PHOXICHILUS 305
PHRONYMA
sedentaria 100
Phronymadæ, (Fam.) 101
Phryganea, *Linn.* 66
PHRYGANEA
grandis 257, 386
*interrupta 256
*rhombica 257
Phryganidæ, (Fam.) 257
Phthiridium 303
biarticulatum 304
Hermanni ib.
PHTHIRUS
inguinalis 142
PHYSIS
Pelionella 249, 370
Pieris, *Schrank* 235
Piezata, (class) *Fabr.* 262
Pill boxes, their use 309
Piiumnidæ, (Fam.) 86
PILUMNUS
hirtellus ib.
Pimplia, *Fabr.* 269

Pinion moth, brown-spot 440
——, *tawny* 419
——, *twin-striped* 423
——, *spotted white* 384
——, *yellow* 371
PINNOTERES
Cranchii 87
Pins of different sizes their use 309
PIPUNCULUS
campestris 300
PISA
Gibbsii 88
tetraodon ib.
Pisi biaculeata ib.
Pison, *Jurine* 275
Pitch moth, shining 441
Pithitis, *Klug.* 283
Plants, fresh, necessary for caterpillars 310
Platycerus, *Geoff.* 192
PLATYPTERYX
curvula 385
falcataria 254, 407
flexula 435
hamula 425
lacertanaria 254, 385
—— *l.* 441
PLATYPUS
cylindricus? 205, 378
PLATYRHINUS
albinus 390
brevirostris ib.
latirostris 199, 390
PLATYSMA
nigritum 151, 361
PLATYSOMA
depressum 185
depressus 360
flavicornis 184, 360
oblongus 360
picipes 184, 360, 375
PLEA
minutissima 227, 362
Pliers, brass, their use 308
PLOIARIA
vagabunda 223, 394
Plume moth, beautiful 409
——, *brindled* ib.
——, *brown wood* ib.
——, *chalk-pit* ib.
——, *common* 443
Plume moth, common 443
——, *crescent* 409
——, *dingy white* ib.
——, *grey wood* ib.
——, *hoary* ib.
——, *large white* ib.
——, *lemon* ib.
——, *marbled* ib.
——, *pale* ib.
——, *rose* ib.
——, *six-cleft* 372
——, *small* 409
——, *spotted, black,* ib.
——, *rusty* ib.
——, *white* ib.
——, *triangle* ib.
——, *white-shafted* ib.
Pocket collecting box 308
—— larva box 309
PODOCERUS
variegatus 104
Podophthalma, (Legion I.) 81
Podosomata 305
PODURA
*atra 141
plumbea 141, 360
viridis 360
Poduradæ, (Fam.) 140
Podure brun enfumée 141
grise commune ib.
plombée ib.
POECILIA, *Schrank* 251
POECILLUS
cupreus 153, 373
dimidiatus 365
lepidus 387
nigricornis 365
Pogonophorus, *Leach* 147
Poisers or balancers, *Halteres* 37
POLIA, *Hüb.* 251
POLLYXENUS
Lagurus 115, 358
Polydesmidæ, (Fam.) 115
POLYDESMUS
complanatus 115, 358
Polymerosomata, (Order) 118
Polyommatus, *Latr.* 241
POLYPHEMUS
Oclus 81
Pomphylus, *Fabr.* 277
Pompilidæ, (Fam.) 274
Pompilii, *Latr.* 274
POMPILUS
annulatus ib
*corniculus 276
exaltatus 413
fuscus ib.
gibbus ib.
hircanus ib.
viaticus ib.
Ponds, method of collecting insects from 313
PONTIA
Brassica 236, 380, 430
Cardamines 236, 380
Cratægi 236, 395
—— *l.* 380
Daplidice 236, 416
Napi 236, 380, 416
Rapæ 236, 380, 430
Sinapis 237, 380, 430
PONTOPHILUS
spinosus 96
PORCELLANA
platycheles 92
PORCELLIO
scaber 112, 358
Porphyry moth 427
Portland moth 251, 383, 432
PORTUMNUS
variegatus 84
Portunidæ, (Fam.) 83
PORTUNUS
*corrugatus 85
*marmoreus ib.
puber 84
POTAMOBIUS
fluviatilis 95
Pou ordinaire 143
Praunus flexuosus 99
integer 100
Prawn, common 98
PRIONUS
coriarius 208, 416
Pro-apis, *De Geer* 275
Proboscis 29, 352
PROCESSA
canaliculata 97
Procris, *Fabr.* 245
Prominent moth, cock's-comb 382, 431
—— *l.* 382, 439
——, *dark* 398

Prominent moth, great 418
——, *l.* 439
——, *iron, l.* ib.
——, *small iron* 398
——, *maple* 418
——, *pale,* 250, 398, 439
——, *l.* 382, 439
——, *pebble* 382, 418
——, *l.* 431
——, *swallow* 398, 431, 439
Proscuris Phellandrii 215
Prosopis, *Fabr.* 283
PROTEINUS
brachypterus 175
PROTO 105
Pryonidæ, (Fam.) 208
PSAMMODIUS
*globosus 190
sulcicollis 190, 375
PSELAPHUS
*bulbifer 178
Dresdensis 375
*glabricollis 178
Heisii 375
*Hellwigii 180
Herbstii 179, 367
*impressus 179
longicollis 375
Pselaphidæ 177
PSEN
ater 413
Psocidæ, (Fam.) 261
PSOCUS
bipunctatus 261
Psoquillæ, *Latr.* 261
PSYCHODA
phalænoides 291, 387, 427
PSYLLA
Alni 231, 380
Psyllidæ, (Fam.) 231
Pterigostia, or wing bones 35
Pterocera, *Meig.* 296
Pteronus, *Jurine* 267
Pterophorites, *Latr.* 255
PTEROPHORUS
bipunctidactylus 409
calodactylus ib.
didactylus ib.
fuscodactylus ib.
galactodactylus ib.
heterodactylus ib.
leucadactylus ib.
lunædactylus 409
megadactylus ib.
mecrodactylus ib.
monodactylus ib.
pallidactylus ib.
pentadactylus 255, 409
pterodactylus 443
punctidactylus 409
rhododactylus ib.
tesseradactylus ib.
tetradactylus ib.
tridactylus ib.
trigonodactylus ib.
PTILINUS
pectinicornis 181, 367
Ptilodontis, *Hüb.* 247
Ptinidæ (Fam.) 180
Ptiniores, *Latr.* 180
PTINUS
*Boleti 206
cereviciæ 367
Fur 180, 359
germanus 362
imperialis 49, 389
Lichenum 375
Musæorum ib.
ovatus 367
*pecticornis 181
rufipes 375
*serraticornis 181
*sulcatus 180
*tessellatus 181
*testaceus 180
PTOMOPHAGUS
funiatus 366
*rufescens 168
truncatus 366
villosus 169, 366
Pug moth, beautiful 406
——, *brown-gray* 385
——, *common* 405
——, *green* 406
——, *gray* ib.
——, *small gray* 385
——, *Juniper* 435
——, *lead-coloured* 385
——, *Lime speck* 405
——, *bordered lime speck* 423
——, *long-winged* 385
——, *mottled* 406
——, *narrow-winged* 435
——, *netted* 405
Pug moth, pinion spotted 423
——, *plain* 405
——, *red-barred* 363
V 423
——, *wormwood* 405
PULEX
Canis 359
Hirundinus 395
irritans 234, 359
Sciurus 395
Talpæ ib.
Pupa, extent of the word 41
——, of the Lepidoptera described ib.
Pupæ of Lepidoptera, how obtained 308
Pupæ in breeding cages, should be kept in an outhouse 319
Pupæ, method of collecting at the root of trees 315
Pupæ, method of preserving 318
——, discrimination of 352
Purple, lesser m. 372
——, *bar* 405, 434
——, *barred* 433
Purple and Gold 427
——, *scarce* 426
Purple Shades 403
Puss moth 248, 282
——, *l.* 431
Pycnogonidæ, (Fam.) 305
PYCNOGONUM
Balænarum 305
*Ceti 106
PYGÆRA
Bucephala 247, 398
——, *l.* 439
Pyralidæ, (Fam.) 254
Pyralis, *Hüb.* 249
PYRALIS
capreolatus 427
costalis ib.
farinalis ib.
glaucinalis ib.
pinguinalis 255, 427
unca 252
Pyrausta, *Schrank* 255

PYROCHROA
coccinea 56, 196, 390
rubens 56, 196, 375
Pyrochroidæ, (Fam.) 196
Pyrochroides, *Latr.* 196
Pyropa, *Illig.* 299
Pyrophila, *Hüb.* 251
Quaker moth, common 371
——, *dwarf* 363
——, *pale* 371
——, *powdered* 370
——, *red line* 440
——, *small* 371
——, *yellow-line* 444
Queen Bees, their instinct impaired by the loss of their antennæ 23
Quills, their use for minute insects 309
Radiata, anatomical character of the 75
RANATRA
linearis 225, 362
Ranunculus moth, large 251, 439
——, *small* 419
RAPHIDIA
affinis 411
Londinensis ib.
maculicollis ib.
megacephala ib.
ophiopsis 261, 410
Raphidiadæ, (Fam.) 261
Rhaphidiæ, *Latr.* 261
Red bar, forked 425
Red Underwing 433
REDUVIUS
personatus 223, 380
Relaxing insects, method of 321
RHAGIO
scolopaceus 293, 414
Rhagionidæ 293
RHAGIUM
bifasciatum 392
*Indagator 211
*Inquisitor 210
vulgare 210, 359, 392
RHINGIA
rostrata 296, 387
RHINOMACER
*curculionides 199
attelaboides 200, 390
Rhinosimus Roboris 199
RHIPIPHORUS
paradoxus 197, 429
Rhipiptera, characters of the order 139
——, classification of the order 288
RHYNCHÆNUS
Abietis 390
ærator 377
Alismatis 391
*Alni 203
atrirostris 391
austriacus 377
brevis 391
crassus ib.
ebeneus 390
Equiseti 377
*Erysimi 203
*fusco-maculatus ib.
interruptus 390
Lathburii 416
maculatus 359
Nereis 391
nigrirostris 369
*Nucum 203
palustris 390
Pini 202, 390
Plantaginis 390
resinosus 377
Runicis ib.
*Scrophulariæ 203
stramineus 377
subnebulosus 390
Sysimbrii 391
RYNCHITES
æneo-virens 376
æquatus ib.
Alliariæ ib.
angustatus 390
Bacchus 201, 376
*Betulæ 201
Betulæ 376
cupreus ib.
cylindricus 390
nanus 376
Populi 390
pubescens 376
Rhynchophorus, *Herb.* 204
Rhyngota, *Fabr.* 220
Rhyzophagus histeroides 206
Ribband-wave 441
——, *false* ib.
Ricinus Cornicis 143
Ringlet *B.* 240
——, *small* 396
——, *marsh* ib.
Risophilus, *Leach* monostigma 156
Rivulet 405
——, *drab* 434
——, *middle* 405
——, *single barred* 434
——, *small* 405
Roots of grass, method of collecting Insects from the 314
Rose Tortrix 408
Rostrum *or Beak* 29, 353
Rough-wing 408
RUGILUS, *Leach* 173
Russet moth 432
Rustic moth, black 401
——, *brown* 420
——, *common* 433
——, *dark* 421
——, *dotted* 420
——, *lesser dotted* ib.
——, *feathered* ib.
——, *light* 401
——, *barred* 420
——, *flounced* 432
——, *lesser flounced* ib.
——, *garden* 420
——, *gray* ib.
——, *mottled* ib.
——, *powdered* ib.
——, *rosy* 421
——, *6-striped* 433
——, *sordid* 420
——, *square spot* 432
Sable, silver barred 427
——, *wavy barred* ib.
Salda, *Fabr.* 225
Sallow, angle striped 421
——, *barred* 433
——, *centre barred* 402
——, *pink barred* 440
——, *bordered* 421
——, *common* 440
——, *dusky* 421
——, *lemon* 440
——, *orange* 433
Salpingidæ, (Fam.) 199
SALPINGUS
4-pustulatus 415
Roboris 199, 359

SALPINGUS
rufirostris 359
Salt, its crystallization 337
SALTICUS
scenicus 129, 372
*formicarius 130
sand hopper 102
Sand pits near London 313
—— produces many insects ib.
SAPERDA
*Cardui 209
lineato-collis 209, 416
*oculata 209
SAPYGA
sexpunctata 274, 413
Sapygidæ, (Fam.) 274
Sarcopte de la Gale 133
SARCOPTES
Scabiei 133
SARGUS
cupreus 222, 414
SAROPODA
rotundata 287, 428
SARROTRIUM
muticum 193
Satellite moth 252, 440
Satin moth 248, 418
——, *l.* 398
SATURNIA
Pavonia minor 381, 246 381, 431
——, *l.* 381
Satrynus, *Latr.* 240
SCAPHISOMA
agaricinum 168, 442
SCAPIDIUM
4-maculatum 168, 374, 443
Scarabæides, *Latr.* 189
Scarabæus 90, 91, 188, 189 190, 191
cylindricus 191
emarginatus 188
fasciatus 191
lunaris 188
melolontha 191
mobilicornis 189
typhæus 47, 189
SCATOPHAGA
merdaria 300, 364, 442
SCENOPINUS
niger 300, 415
SCIRTES
hemisphærica 163, 415
Schallerian T. 436
Sclater 112
Scoliadæ, (Fam.) 273
Scolietæ, *Latr.* ib.
Scollop moth, brown 406
——, *gray* 405
——, *small* 434
Scollop shell 406
Scolopendra electrica 117
forficata 115
hortensis ib.
Lagura ib.
subterranea 116
Scolopendradæ, (Fam.) 115
SCOLYTUS
*crenatus 206
*cylindricus ib.
Destructor 206, 362
multistriatus 391
*Typographus 205
Scopula, *Schrank* 255
Scorpionidæ, (Fam.) 119
Scorched-wing 253, 403
SCRAPTIA
fusca 196, 390
Scutellaria, *Latr.* 220
Scutellum 31, 353
Scydmænidæ, (Fam.) 179
SCYDMÆNUS
Hellwigii 180
SCYMNUS
analis 393
bipustulatus ib.
bis-bipustulatus ib.
discoideus ib.
fulvifrons ib.
litura ib.
nigrinus ib.
parvulus ib.
4-pustulatus ib.
Sea-shore, time for collecting on the 314
Sealed, hoary 408
Seasons for collecting 314
Seeds of plants for the microscope 335
SEGESTRIA
senoculata 122
SELANDRIA
cineripes 264
fuliginosa 411
luteiventris ib.
ovata 264
serva 264, 411
Semblis, *Fabr.* 261
SEPEDON
palustris 299, 415
September, Calendar for 438
——, employment for 315
Setting boards, how made 309
Setting needles 308
Setting and preserving
Acari 317
Arachnöida ib.
Crustacea 316
Insects 318
Seraphim moth 406
——, *small* 434
SERICOMYIA
Lapponum 296, 414
Serrocerus, *Kugel* 180
SERROPALPUS 195, 415
*caraboides 195
*micans ib.
SESIA
bombyciformis 244, 397
fusiformis 244, 397
Setoura, *Brown* 140
Shark moths, chamomile 419
——, *large dark* ib.
——, *Lettuce* ib.
——, *large pale* 252, 418
——, *Tansy* 419
——, *twin-tailed* 370
Sheers, glaucous, 401
——, *pale* ib.
——, *tawny* ib.
Shell moth, yellow 405
——, *dingy* ib.
Shells for the microscope, how obtained 333
Shipton moth 252, 403
Shoulder, flame 402, 440
——, *pale* 407
Shoulder-knot, gray 442
——, *minor* 401
——, *rustic* 251, 401
Shoulder stripe 371
Short cloak 425, 441
——, *cream* 407
——, *marbled* 441
Showers of blood explained 42

Shrimp, common 96
Sialidæ, (Fam.) 261
SIALIS
niger 261, 410
SIGALPHUS
Irrorator 270, 412
SIGARA
*coleoptrata 228
minutissima 227, 362
*striata 229
SILPHA
lævigata 167, 374
*littoralis 166
nitidiuscula 388
obscura 167, 365
opaca 360, 374
quadrimaculata 51, 167, 374
reticulata 388
*russica 214
*sabulosa 193
*sinuata 167
*thoracica ib.
tristis 365
*vespillo 51
Silphiadæ, (Fam.) 166
Silphoides, *Herbst.* 207
SILVANUS
frumentarius 208, 362, 429
Silver, crystals of for the microscope 337
Silver barred, cinereous 371
Silver ground 404
Silver lines, brown 384
——, *small green* 385, 425
Silver striped, dark 386
——, *faint* 371
——, *light* 386
SIMAETHIS
dentata 254
Single dot, angle barred 364
——, *marbled* 364
——, *square barred* ib.
Singular conduct of queen bees on the loss of their antennæ 23
SINODENDRON
cylindricum 190, 389
Sirex, *Linné* 67, 267
Sirex Gigas 67, 268
marjscus 268
SIRO
rubens 118, 358
Sironidæ, (Fam.) 118
SITONA, *Germ.* 204
Skin, pores of the, for the microscope 333
Skipper, dingy, 242, 381
——, *mallow* ib
——, *pearl* 242, 430
——, *scarce* 243, 381
——, *small* 242, 417
——, *wood,* 242, 381, 417
Slender bodied 423
Smeathmanniana 425
SMERINTHUS
ocellatus 243, 381
——, *l.* 430
Populi 243, 396
——, *l.* 430, 438
Tiliæ 243, 381
——, *p.* 359
——, *l.* 430
SMYNTHURUS
fuscus 141, 360
Snout moth 253, 406, 435
——, *beautiful* 406
——, *buttoned* ib.
——, *cream edged* 385, 406
——, *dingy* 407
——, *long tailed* 425
——, *pinion* 406
——, *small* 424
——, *white line* ib.
Solandrian 436
Spanish fly 60
Speck, tawny 434
Speckled yellow m. 384
——, *wood B.* 241, 369
——, *l.* 363, 381
Spectacle moth, dark 422
——, *light* ib.
Spectrum, *Scopoli* 243
Spence's observations on the necessity of new genera 46
SPERCHEUS
sordidus 186, 362
Sphæridiadæ, (Fam.) 187
SPHÆRIDIUM
marginatum 362
*ruficolle 215
scarabæoides 187, 362
SPHÆROMA
*cinerea 198
serrata 108
sphæropyx 270
SPHÆROSOMA
Quercus 394
Sphecidæ, (Fam.) 275
SPHECODES
divisa 413
Geoffrella 386
gibbus 282, 386
monilicornis 413
picea ib.
sphecoides ib,
Sphex, *De Geer* 273
SPHEX
*abietina 268
flavipennis 275, 413
*sabulosa 68, 275
Sphex, *Linné* 271
Sphingidæ, (Fam.) 243
Sphingides, *Latr.* ib.
SPHINX
Atropos 244, 442
——, *l.* 438
Celerio 430
Convolvuli 244, 438
Elpenor, 64, 243, 396
——, *l.* 430
Euphorbiæ 243, 397
Galii 243, 397
Ligustri 244, 397
——, *l.* 431
lineata 242, 396
Pinastri 244, 397
Porcellus 243, 381
SPHODRUS
collaris 360, 442
planus 152, 358
terricola 361
Spider, observations on a, by Sir J. Banks 120
Spider, Hunting 130
Spiders, how preserved 317
Spinach moth 405
——, *dark* 423
Spirits of wine, experiments on the pollen of plants with 335
Spotted pinion, lesser 252, 422
——, *lunar* 433
——, *white* 252, 433
Sprawler 439
——, *l.* 382

Spurge moth 400
Square-spot 433
——, *double* ib.
——, *small* 421
Squilla lobata 106
pedata 105
ventricosa ib.
Squille, asele 110
Baleine, de la 106
Stag beetle 48
Staphylinidæ, (Fam.) 171
Staphylinus, *Linné* 60
STAPHYLINUS
æneocephalus 366
attenuatus ib.
bipustulatus ib.
brunnipes 361
*canaliculatus 176
*castanopterus 366
*chrysomelinus 176
concinnus 366
*concolor 172
*cyaneus ib.
decorus 366
*dilatatus 172
*elongatus ib.
*erythropterus ib.
erythropterus 171, 361
fimetarius 366
fucicolor ib.
*fulgidus 172
*guttatus 173
hæmorrhous 366
*hirtus 172
hybridus 366
laminatus ib.
lateralis ib.
lituratus ib.
maculicornis ib.
marginatus ib.
marginellus ib.
*maxillosus 172
maxillosus 366
Morio 360
murinus 366
nitipennis ib.
obscuripennis ib.
olens 366, 442
picipennis 366
pilipes ib.
politus ib.
*porcatus 171
pubescens 361
punctulatus ib.
STAPHYLINUS
*riparius 173
*rivularis 175
*rufipes 176
*rufus 174
sanguinolentus 360
semiobscurus ib.
similis ib.
splendens ib.
stercorarius ib.
tristis ib.
varians ib.
Starwort 419
STAUROPUS
Fagi 247, 398
——, *l.* 431
STELIS
phæoptera 437
punctulatissima 284, 442
Stenecpteryx, Leach 303
STENOSOMA
hecticum 107
lineare ib.
STENUS
aceris 367
angustatus ib.
biguttatus 173, 359
brunnipes 367
cærulescens 173, 375
cicindeloides 359
flavicornis 367
Juncorun 367
nigricornis ib.
oculatus ib.
pubescens ib.
pusillus ib.
rufitarsis ib.
rugulosus ib.
Sternum 31
STIGMUS
ater 278, 413
Sting of Insects 33, 338
STOMIS
pumicatus 153, 361
Stomoxoides, *Schaef.* 298
STOMOXYS
calcitraus 298, 442
irritans 442
Store boxes, how made 312
Straight barred 407
Stratiomydæ, (Fam.) 291
STRATIOMYS
Chamæleon 292, 414
Straw, bordered 422
——, *chequered* 426
——, *clouded* 425
——, *crossed* 435
——, *hook-marked* ib.
——, *oblique bars* 436
——, *pale* 426
——, *short barred* 436
——, *barred* 427
——, *dingy* ib.
Straw Underwing 382, 432
Streak 443
Streamer 405
Strepsiptera, *Kirby* 288
Striped edge, light 364
Strongylus, *Herbst.* 170
STYLOPS
melitta 289, 372
tenuicornis 428
Subulicornes, (Sect.) 57
Suctoria, *Latr.* 220
Sugar candy, its crystallization 337
Sulphur moth 426
——, *spotted* 403
Swammerdam's method of preserving the eggs of insects 318
—— method of dissecting insects 331
Swallow tail B. 64, 285, 380, 429
——, *l.* 416, 438
Swallow tail moth 253, 424
Swift moth, beautiful 397
——, *brown* 381
——, *ghost* 245, 397
——, *golden* ib.
——, *map-winged* 245
——, *orange* 431
——, *silver* 381
——, *spotted silver* 381
——, *tawny* 397
Sword-grass Moth, large 252, 382, 442
——, *l.* 419
——, *small* 401
Sycamore Moth 400
SYCTODES
thoracica 126, 372
Synistata, *Fabr.* 257

SYNUCHUS
vivalis 151, 365
Syrphiæ, *Latr.* 296
Syrphidæ (Fam.) ib.
SYRPHUS
Pyrastri 297, 415
Systems of Entomology by Linné 44
——— of Entomology by Fabricius ib.
———, Kirby's observations on forming a 45
——— of Entomology by Dr. Leach, why adopted ib.
———, the Modern, promotes the science of Entomology 46
——— of Natural History, how formed 74
Tabanidæ (Fam.) 293
Tabanii, *Latr.* ib.
TABANUS
autumnalis 437
bovinus 293, 414
*cæcutiens 293
Paganus 414
*pluvialis 293
tropicus 71, 428
Tabby Moth, the large, 255, 427
——, *small* 427
——, *tea* 435
TACHINA
fera 301, 372
TACHINUS
analis 176, 361
lunulatus 375
marginellus 361
rufipes 176, 367
subterraneus 176, 361, 429
trimaculatus 429
TACHYPORUS
analis 361
chrysomelinus 176, 389, 443
Granum 176
marginatus 361
nitidulus ib.
pubescens 443
Tachytes tricolor 277
Tail, Cauda 33
TALITRUS
*littoralis 102
Locusta ib.
Taniptera, *Latr.* 291
TANYPUS
cinctus 290, 387, 437
TARPA
*cephalotes 266
Fabricii ib.
Klugii 266, 412
Panzerii 412
*plagiocephala 266
Tarsus, the foot 34
Tarus, *Clairv.* 154
Tegeneria, *Walck.* 124
Telephoridæ (Fam.) 162
TELEPHORUS
fulvicollis 374
fuscus 164, 374
lateralis 374
lividus ib.
melanurus ib.
*minimus 164
obscurus 374
pallidus ib.
ruficollis ib.
rufus ib.
testaceus ib.
Tenebrio, *De Geer* 196, 208
TENEBRIO
*Bovistæ 216
*cadaverinus 194
*coccineus 215
*femoralis 192
*Fossor 153
*gemellatus 192
*lanipes 195
*Mauritanicus 208
Molitor 59, 193, 369
obscura 389
*sabulosus 193
Tenebrionidæ (Fam.) 192
Teneidæ (Fam.) 248
Tenebites, *Latr.* ib.
Tenthredines Allanti, *Klug* 265
——— Dolcri, *Klug* ib.
——— Emphyti, *Klug* ib.
Tenthredinidæ (Fam.) 262
Tenthredinetæ 262
Tenthredo (Fam. I.), *Klug* 264
Tenthredo (Fam. II.) *Klug* 265
TENTHREDO
*cephalotes 266
*dimidiata 265
*fasciata 268
*femorata 262
*furcata 264
*hortulana ib.
*læta 268
*marginata ib.
*melanocephala 264
nassata 265, 412
*nitens 263
*pumila 265
Rapæ 265, 412
*Rubi Idæi 264
*Scrophularia 67
*sericea 263
TEPHRITIS
Cardui 299
grossificationis 415
onopordinis ib.
pulchella ib.
vibrans ib.
Terebrantia (Sect.) 262
Termes, *Linn.* 261
Terrestria (Sect.) 220
TETHEA, *Och.* 25
TETRAGNATHA
extensa 127, 364
Tetramera 199
TETRATOMA
Fungorum 194, 389
Tetrix subulata 219
TETTIGONIA
spumaria 380
viridis 231, 380
TETYRA
inuncta 394
Maura 220, 394
THANASIMUS
formicarius 165, 388
THANATOPHILUS, *Leach* 147
THECLA
Betulæ 241, 430
—— *l.* 396
Pruni 241, 417
—— *l.* 417

THECLA
Quercus 241, 417
—— *l.* 396
Rubi 241, 381
—— *l.* 417
Thereva, *Fabr.* 300
THEREVA
plebeia 294, 414
THERIDIUM
sisiphum 126
Thigh, *Femur* 34
THOMISUS
citreus 128, 387
lynceus ib. ib.
oblongus 128, 415
Thorax, definition of the 30
——, discrimination of the 354
Thorn Moth, clouded August 434
——, *freckle August* ib.
——, *plain August* ib.
——, *canary-shouldered* ib.
——, *early* 371
——, *feathered* 442
——, *flounced* 441
——, *July* 424
——, *little* 404
——, *lunar* 253, 404
——, *purple* 383, 385, 406
——, *September* 441
Thrips, *Linn.* 63
THRIPS
fasciata 395
juniperina ib.
minutissima ib.
Physapus 232, 380
THROSCUS
dermestoides 183, 389
THYATIRA, *Och.* 251
THYLACITES, *Germ.* 205
THYMALUS
ferrugineus 170, 389
Thysanura, characters of the order 138
——, classification of the order 140
Tibia, *the shank* 34
Tick, dog 132
Tillus, *Marsh.* 164
Tillidæ (Fam.) 165
TILLUS
elongatus 165, 388
Quadra 374
unifasciatus 165, 388
TIMARCHA, *Hoppe* 213
Tinea, *Linné* 233
Tinea, *Fabr.* 249
Tineæ, collected in pill boxes 309
TINEA
Alstroemeri 372
applana 437, 443
bistriga 427
contubernia 410
curvipunctosa 364
Fagi ib.
gelatella 443
Nemorum 255
Novembris 443
nubilea 360
Phryganea 443
purpurea 372
Pyralea ib.
Salicis 360
signosa 372
spissicornis 409
tortricea 360
TINGIS
Cardui 223, 394
TIPHIA
femorata 274, 413
Morio 413
TIPULA
oleracea 71, 291, 387, 437
rivosa 291
Tipulariæ, *Latr.* 290
Tipulidæ (Fam.) ib.
Tique rouge satinée aquatique 133
Tissue Moth 384, 435
——, *scarce* 371
TOMICUS
Typographus 205, 391
fuscus 391
Tongue of Insects 29
Tooth-striped Moth, early 371
Tortoise-shell B. large 238, 363, 416
——, *l.* 396
——, *small* 238, 363, 396, 438
——, *l.* 396, 430
TORTRIX
Absinthiania 407
Acerana ib.
affractana 435
Afzeliana 364
angustana 425
Asperana 436
atromargana 408
aurana ib.
Avellana 425
Baumanniana 385
Bergmanniana 436
Betuletana ib.
bifidana 441
borana 425
cana 408
Carpiniana 425
caudana 435
cerusana 425
chlorana 407
Christiernana ib.
ciliana 441
cinereana 436
comitana 407
composana 386
contaminana 441
corticana 385
costana 436
Degenerana 425
dentana 254
Desfontiana 435
diversana ib.
egestana 386
emargana 435
examiana 443
excavana 435
Fagana 254, 385, 425
fasciana 407
fimbriana 364
Forskäliana 436
Forsterana 407
fraternana 371
gnomana 364, 441
hamana 435
harpana 407
Holmiana 436
hyemalis 444
Ilicana 436
incarnana 441
latifasciana ib.
Lecbeana 407
literana 435, 441
Loeflingina 371
Logiana 407

TORTRIX
Lundiana 407
lutosa 364
maculana 441
Mitterbachina 407
Mylleri 441
nana 425
nebulana ib.
nigricana 436
nitida 386
nubiferana 408
nubilana ib.
oporana 407
Oxyacanthena 385, 442
palliolatis 425
panperana 386
perlepidana 371
piceana 441
Pomona 425
populana 441
plumbeolana 425
pruniana 407
Quercana 436
rhombana 441
Ribeana 407
Rosana 408
Rubiana 436
rufana ib.
ruficiliana 385
rugosana 408
rusticana 436
Salicana ib.
Schalleri ib.
semifasciana ib.
sequana 385
Smeathmanniana 425
Solandriana 436
spadiceana 359
squamana 435
straminea 436
sticticana ib.
strobilana 386
subocellana 425
subsequana 371
tetraquetrana 364
trapezana 436
tricolorana 441
tripunctana 408, 441
Udmanniana 407
umbrana 435
unipunctata 364
urticana 385
viridana 425
Wœberiana 408
TORTRIX
Xylosteana 425
Zöegana 435
TRACHEA, *Och.* 251
Trachelus, *Jurine* 267
Trachusa, *Jurine* 280, 283
TRACHYS
minuta 160, 388
viridis 388
Treble-bar Moth, slender 405, 441
Treble lines M. equal 402, 440, 441
——, *dark* 402
Treble spot M. rusty 441
——, *white* 425
TRECHUS
aquaticus 373
discus ib.
fulvus 365
humeralis 415
meridianus 149, 365
Trees, decayed, method of collecting insects from 314
——, roots of, method of collecting pupæ at the 315
Triangle, red 436
Tribonophora, *Hüb.* 252
TRICHIOSOMA
laterale 372
Scalesii 427
sylvaticum 263, 427
unidentatum 427
TRICHIUS
fasciatus 191, 415
nobilis 375
variabilis 389
Trichoptera, characters of the order 139
——, classification of the 256
——, method of preserving 321
——, method of arranging 322
Trimera (Sect.) 215
TRIPLAX
bicolor 393
rufipes 429
russica 214, 429
Triple-line M. clay 404
Tritoma, *Geof.* 207
TRITOMA
bipustulatum 51, 214, 362
*russica 214
Trochilum, *Scopoli* 245
TROGOSITA
*caraboides 208
mauritanica 208, 369
*mauritanicus 208
Trombidiadæ (Fam.) 130
TROMBIDIUM
*aquaticum 135
holosericeum 131, 436
TROX
arenarius 369
sabulosus 190, 369
Truncus 30
Trypeta, *Meig.* 299
TRYPOXYLON
Figulus 277, 413
Tussock Moth, dark 247, 418
——, *l.* 382
——, *nut-tree* 250, 370, 418, 439
——, *l.* 382
——, *pale* 247, 398
Twin-spot M. 423
——, *large* ib.
——, *red* 383
——, *dark-red* 404
——, *striped* 383
——, *treble* 385
TYCHUS
niger 178
Tyger Moth, cream-spot 248, 398
——, *l.* 382
——, *garden* 418
——, *l.* 398
——, *ruby* 399
——, *scarlet* 248, 398
——, *l.* 382
——, *wood* 248, 398
——, *l.* 382
TYPHÆUS
vulgaris 189, 369
V. Moth 404
V. black 431
V. sooty 424
VANESSA
Antiopa 238, 430
——, *l.* 416

VANESSA
Atalanta 238, 363, 430
——, *l.* 416
C. album 238, 396, 417, 438
——, *l.* 430
Cardui 238, 416
——, *l.* 416
Io 238, 363, 416
——, *l.* 416
Polychloros 238, 363, 396, 416
Urticæ 238, 363, 396, 438
——, *l.* 430
Vapourer Moth 439
——, *l.* 431
——, *scarce* 418, 432
VAPPO
ater 292, 428
Udmannian Tortrix 407
Vegetables, definition of 20
VELIA
rivulorum 224, 369
VELLEIUS, *Leach* 172
Veneer, aquatic 408
——, *barred* ib.
——, *chequered* 437
——, *common* 408
——, *buff-edged rosy* 386, 437
——, *large brown-edged* 408
——, *elbowed-striped* ib.
——, *garden* ib.
——, *gigantic* ib.
——, *hooktip* 409
——, *pale hooktip* ib.
——, *inlaid* 437
——, *dark inlaid* 408
——, *necklace* 364
——, *pearl* 408
——, *yellow satin* ib.
——, *straw-coloured* ib.
——, *small straw-coloured* 437
——, *rosy* 408
——, *rush* 425, 436
——, *narrow-winged* 409
Vertebrosa, anatomical character of the 75
Vertex 30
Vespa, *Linn.* 69, 271, 276
VESPA
Britannica 280, 386
Crabro 280, 386
*parietina 279
*uniglumis 277
vulgaris 280, 385
Vespadæ (Fam.) 279
Vespariæ, *Latr.* ib.
Vipio, *Latr.* 270
Ulonata, *Fabr.* 217, 219
Umber Moth, barred 404
——, *connecting* 442
——, *dark* 384
——, *mottled* 442
——, *scarce* ib.
——, *large waved* 403
——, *small waved* 384
Unguis, *claw* 35
Underwing Moth, lesser 432
——, *lunar* 440
VOLUCELLA
bombylans 414
inanis ib.
mystaceus ib.
pellucens 296, 414
Uroceridæ (Fam.) 267
UROCERUS
Gigas 268, 412
psyllius 412
UROPODA
vegetans 133, 364
Usher, dark-barred 433
—— *dark-bordered* 360
——, *spring* ib.
Wainscot Moth, common 419
——, *dotted-bordered* ib.
——, *large* 399
——, *powdered* 400, 419
——, *red* 419
——, *shoulder-stripe* 251, 399
——, *small* 432
——, *smoky* 419
——, *tawny-veined* 432
——, *twin-spot* 439
Wall Butterfly 430, 417
——, *l.* 381, 430
Wasp 68, 280
——, *Hornet* 69, 280
Wave Moth, common 383
——, *small-dotted* 405
Wave Moth, small dusty wave 423
——, *small fan-foot* 434
——, *mullein* ib.
——, *plain* 423
——, *ribband* ib.
——, *rosy* ib.
——, *sandy* 383
——, *satiny* 423
——, *subangled* ib.
——, *round-winged* 383
——, *common white* ib.
——, *small white* 384
——, *small yellow* ib.
White Butterfly, Bath 236, 416
——, *black-veined* 236, 395
——, *l.* 380
——, *bordered* 404, 430
——, *l.* 416
——, *green-veined* 236, 380, 430
——, *large* 236, 380, 430
——, *marbled* 417
——, *small* 236, 380
——, *wood* 236, 380, 430
White C. But. l. 430
White Moth, broad-barred 400
——, *bordered* 253
White line Moth, marbled 403
White spot, brindled 424
——, *marbled* 403
White Tortrix, cloudy 408
White-barked Tor. 436
White-fringed Tor. 441
White-shouldered Tor. 436
White spotted 426
White Thorn Tortrix 385
White thorn hedges, time for collecting insects from 315
Willow, pale mottled 401
Widow, mourning 363
Wing-bones, Pterigostia 35
Wings, their form and structure ib.
—— afford characters for genera and species 37
Wing Cases 37

Wings of Lepidoptera acquire their full size in a few minutes 42
———, discrimination of the 338
Winter Moth, 359, 443
Winter Tortrix 444
Wœberian Tortrix 408
Wood Butterfly, speckled 396, 430
——, *l.* 396
Woods near London 312
——, insects how collected in ib.
Wormwood Moth 252, 419
Wormwood Tortrix 407
X. tawny 432
XANTHIA, *Hüb.* 252
XANTHO florida 86
*incisa ib.
XIPHYDRIA Camelus 267, 412
dromedarius 412
Xiphydriadæ (Fam.) 267
XYLENA, *Hüb.* 252
Xylocopa, *Fabr.* 285
Y. Moth, gold 403
——, *Essex* ib.
——, *pigmy* 441
——, silver 383
Yorkshire 403
Yellow, frosted 423
Yellow-horned Moth 363
Yellow-tail Moth 248, 418
——, *l.* 398
Yellow-underwing Moth, beautiful 252, 399, 418
——, *broad-bordered* 250, 399, 432
——, *least broad border* 399
——, *lesser broad border* 432
——, *lunar* 432
——, *minute* 383
——, *small* 399
YPONOMEUTA cribella 382
Echiella 399
Evonymella 249, 399, 432
irrorella 399
YPONOMEUTA Padella 399
plumbella 432
sequella ib.
Ypsolophus, *Fabr.* 255
ZABRUS gibbus 149, 428
ZARÆA fasciata 263, 386
ZEUZERA Æsculi 246, 418
ZODION conopsoides 298
Zoegien 435
Zoophytes, anatomical character of 75
——— for the microscope 334
Zoology, the most difficult department in Natural History 20
ZYGÆNA Filipendulæ, 245, 397
Loti 397
ZYGÆNIDÆ, (Fam.) 244
ZYGÆNIDES, *Latr.* ib.

THE END.

Printed by Richard and Arthur Taylor, Shoe-lane.